

## // Retail Price List & Product Info Guide



**ALTA**  
WINDOW FASHIONS  
*design simplified*

# DUAL

## SHADES

Pricing effective August 21, 2023 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

Revised 2-15-24

---

## SUMMARY OF REVISIONS

---

**2-15-24 Revisions:**

Page 12..... Updated AgileLift IB mount Fabric width Deduction

---

# TABLE OF CONTENTS

---

## Product Overview

- Collection Information ..... 3
- Color Chart ..... 4

## Pricing Groups

- Pricing Group 1-6 ..... 5-6

## Product Specifications

- Shade Specifications ..... 7-8
- Product Information ..... 9
- Standard/Retractable Cord/Agilelift/Automation Operations ..... 10-11
- Finished Dimensions ..... 12

[Automation Price Guide](#) – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

[Product Components Guide](#) – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

### **INHERENT CHARACTERISTICS**

Due to the weave and nature of the material, the following are the inherent characteristics and are not considered as defects:

- A moiré effect may occur when the sheer fabric bands are aligned.
- The fabric color appearance may vary based on changing light conditions in the room or light reflection from interior decor.
- The front fabric may appear wavy or bow due to the weave and construction of the fabric.

Static electricity build up on fabrics is a common occurrence in dry environments, especially during colder seasons, and is attributed to many factors such as temperature, humidity levels, home insulation, etc.. To help reduce static on your shades, lightly spray an anti-static product on the fabric or gently wipe the fabric with dryer sheets. Keeping floors clean and dust free will also help reduce static electricity.

## COLLECTION INFORMATION

Pattern Name	Family Code	Band Height	Fabric Composition	Opacity	Price Group
Avalon	DS53	3"	100% Polyester	Translucent	2
Beaumont	DS3	3"	100% Polyester	Translucent	2
Buena Vista	DS52	3"	100% Polyester	Translucent	3
Cinema	DS4	2¾"	85% Polyester/15% Linen	Translucent	5
Definition	DS6	3"	100% Polyester	Light Dimming	5
Delicate	DS60	3¼"	100% Polyester	Translucent	1
Eaton	DS56	3"	100% Polyester	Translucent	5
Elegance	DS59	4"	100% Polyester	Translucent	2
Epicure	DS7	3"	100% Polyester	Translucent	5
Extravagance	DS8	5½"	100% Polyester	Translucent	6
Glorious	DS18	4¾"	100% Polyester	Translucent	5
Indulgence	DS62	3"	100% Polyester	Translucent	2
Knollwood	DS55	3"	100% Polyester	Translucent	3
Knollwood Wide	DS66	3⅞"	100% Polyester	Translucent	3
Lakeside	DS58	3"	100% Polyester	Translucent	5
Lavish	DS50	3⅝"	100% Polyester	Translucent	2
Luminous	DS61	3¼"	100% Polyester	Translucent	1
Luna	DS65	4"	100% Polyester	Light Dimming	4
Luxury	DS10	3"	100% Polyester	Translucent	6
Mid Century	DS51	3¾"	100% Polyester	Translucent	2
Obscure	DS13	4"	100% Polyester	Light Dimming	6
Palladian	DS14	3"	100% Polyester	Translucent	6
Pressed	DS57	3⅞"	100% Polyester	Translucent	4
Riverside	DS54	3⅞"	100% Polyester	Translucent	5
Serene	DS64	4"	100% Polyester	Light Dimming	4
Strande	DS16	2¾"	100% Polyester	Translucent	3
Sublime	DS17	3"	100% Polyester	Translucent	5
Traverse	DS63	4"	100% Polyester	Light Dimming	4

### SIDE-BY-SIDE VANE ALIGNMENT

When Dual Shades are installed side by side, vane alignment can be guaranteed within 3/8" only if:

- Shades are ordered at the same time and are identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).

### ORDERING NOTE


- Finished blind height will always be in the full privacy position – with bands offset
- When you align bands to the view through position, the bottom rail will raise slightly off the window sill – the gap between the sill and bottomrail is approximately 1/2 the band width.

## COLOR CHART

Material Name	Color Name	Color #	Cassette Color
Avalon	Powdered Sugar	DS53-8520	White
	Mixing Bowl	DS53-8521	Silver
	Cookie Sheet	DS53-8522	Silver
	Sugar Cookie	DS53-8523	Vanilla
	Pumpkin Bread	DS53-8524	Dark Brown
	Chocolate Muffin	DS53-8525	Dark Brown
Beaumont	Linen	DS3-2412	Vanilla
	Pewter	DS3-2407	Silver
	Silver	DS3-2416	Silver
	Steel	DS3-2414	Black
	White	DS3-2401	White
Buena Vista	Seashells	DS52-8470	Vanilla
	Tidepools	DS52-8471	Vanilla
	Gray Seas	DS52-8472	Silver
Cinema	Granite	DS4-5125	Silver
Definition	Arctic	DS6-2550	Silver
	Dusk	DS6-2503	Silver
	Fawn	DS6-2501	Vanilla
Delicate	White Linen	DS60-8490	White
	Bone China	DS60-8491	White
	Dainty Lace	DS60-8492	Vanilla
	Classic Silver	DS60-8493	Silver
	Pewter Planter	DS60-8494	Silver
Eaton	Cascading White	DS56-8440	White
	Emerald	DS56-8441	White
	Platinum	DS56-8442	Silver
	Stone	DS56-8443	Silver
Elegance	Simply White	DS59-8480	White
	Sandstone	DS59-8481	Vanilla
	Smoky Blue	DS59-8482	White
	Twilight Gray	DS59-8483	Black
	Cavernous	DS59-8484	Black
Epicure	Opal	DS7-9702	White
	Quartz	DS7-9701	White
	Storm	DS7-9710	Silver
Extravagance	Dove	DS8-2603	Silver
	Horizon	DS8-2606	White
	Quartz	DS8-2601	White
Glorious	Snow	DS18-6210	White
	Malt	DS18-6212	Dark Brown
	Greystone	DS18-6213	Silver
Indulgence	Milk	DS62-8510	White
	Gray Whisper	DS62-8511	Silver
	Saharan Sands	DS62-8512	Vanilla
	Coconut Escape	DS62-8513	Dark Brown
	Rustic Taupe	DS62-8514	Dark Brown
Knollwood	White Wood	DS55-8430	White
	Gray Wood	DS55-8431	Silver
Knollwood Wide	White Wood	DS66-8560	White
	Gray Wood	DS66-8561	Silver

Material Name	Color Name	Color #	Cassette Color
Lakeside	White Stripe	DS58-8460	White
	Quartzite Lake	DS58-8461	Silver
	Tranquil Teal	DS58-8462	White
	Emerald Lake	DS58-8463	Silver
	Obsidian Creek	DS58-8464	Black
Lavish	Snowfall	DS50-8400	White
	Mountain Snow	DS50-8401	White
	Shadow White	DS50-8402	Vanilla
	Silverlake	DS50-8403	Silver
	Autumn Sky	DS50-8404	Silver
	Morning Mist	DS50-8405	White
Luminous	Frost White	DS61-8500	White
	Cloud White	DS61-8501	White
	Dreamy Cotton	DS61-8502	White
	Blue Hue	DS61-8503	White
	Hint of Pink	DS61-8504	White
	Polished Steel	DS61-8505	Silver
Luna	Silver Strand	DS65-8550	Silver
	Pebble	DS65-8551	Black
	Piñon	DS65-8552	Dark Brown
Luxury	Dove	DS10-2803	Silver
	Horizon	DS10-2806	White
	Quartz	DS10-2801	White
Mid Century	Vintage White	DS51-8410	White
	White Sands	DS51-8411	Vanilla
	Sand Dollar	DS51-8412	Vanilla
	Bungalow Taupe	DS51-8413	Dark Brown
	Gray Skies	DS51-8414	Silver
Obscure	Barley	DS13-2907	Vanilla
	Bleach	DS13-2901	White
	Truffle	DS13-2909	Dark Brown
Palladian	Fawn	DS14-0904	Dark Brown
	Glacier	DS14-0901	White
	Ivory	DS14-0902	White
	Shadow	DS14-0910	Silver
Pressed	Autumn Rain	DS57-8450	Silver
	Newport Blues	DS57-8451	Black
	Midnight Blue	DS57-8452	Black
Riverside	Snowcap	DS54-8420	White
	Rain Washed	DS54-8421	White
	Darkness	DS54-8422	Black
Serene	Diamonds	DS64-8540	White
	Satin Pearl	DS64-8541	White
	Silversmith	DS64-8542	Silver
	Gray Noise	DS64-8543	Silver
	Rain Storm	DS64-8544	Black
Strande	Canyon	DS16-3102	Vanilla
	Coconut	DS16-3101	White
	Java	DS16-3103	Dark Brown
Sublime	Ice	DS17-6100	White
	Opal	DS17-6101	Vanilla
	Silver	DS17-6102	Silver
	Charcoal	DS17-6103	Black
Traverse	Silver Dollar	DS63-8530	White
	Dried Mint	DS63-8531	White
	Maple Syrup	DS63-8532	Dark Brown
	Natural Stone	DS63-8533	Silver
	Black Limestone	DS63-8534	Black

\*Cassette, endcaps, and bottomrail will be color coordinated.



**GROUP 1**

• Delicate (102") • Luminous (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$366	401	435	473	506	541	577	611	645	671	718	752	789	825
50"	374	411	448	487	524	560	598	635	671	698	748	784	823	859
60"	383	422	460	500	541	580	618	658	697	724	776	815	857	895
70"	389	433	474	517	557	599	640	680	721	752	807	847	890	932
80"	398	441	486	531	574	617	660	703	748	776	835	879	923	966
90"	408	453	498	545	592	638	682	727	772	806	867	912	958	1004

**GROUP 2**

• Avalon (102") • Beaumont (96") • Elegance (90") • Indulgence (102") • Lavish (102") • Mid-Century (102")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$420	461	503	546	590	630	672	713	754	785	839	881	926	966
50"	432	476	521	566	611	656	700	745	788	821	879	923	971	1014
60"	443	491	537	588	636	681	729	775	824	857	920	969	1017	1064
70"	454	504	554	606	657	708	758	808	857	893	959	1010	1063	1112
80"	466	518	572	627	679	732	786	838	890	930	999	1052	1108	1161
90"	477	533	590	647	702	759	814	871	926	964	1041	1098	1154	1210
100"	489	546	605	666	726	785	843	901	959	1001	1080	1140	1200	1258
110"	499	562	622	688	750	810	872	934	995	1039	1121	1182	1246	1309
120"	511	577	641	708	771	835	900	963	1029	1074	1161	1225	1292	1356

**GROUP 3**

• Buena Vista (102") • Knollwood (102") • Knollwood Wide (102") • Strande (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
HEIGHT TO:														
40"	\$444	492	540	591	638	685	732	780	829	864	927	975	1026	1071
50"	459	512	563	618	670	722	773	827	878	916	985	1037	1090	1144
60"	477	533	590	648	705	761	816	874	930	970	1044	1101	1159	1215
70"	493	553	613	677	737	797	858	919	979	1022	1103	1162	1225	1286
80"	508	574	639	705	770	834	899	962	1029	1074	1160	1225	1292	1356
90"	527	596	663	734	805	874	941	1010	1079	1126	1220	1288	1359	1428
100"	542	615	689	764	837	909	983	1056	1127	1180	1277	1350	1426	1499
110"	559	638	714	793	871	949	1026	1103	1180	1233	1336	1414	1494	1571
120"	575	657	737	823	903	985	1066	1148	1229	1286	1395	1475	1559	1642

OPTIONS: EXTRA CHARGE
• Retractable Cord ..... add \$88 per shade
• Agile Lift ..... add \$120 per shade

OPTIONS: NO CHARGE – SPECIFY ON ORDER
• 2 on 1 Headrail (price as two separate shades)
• Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)
• Cord loop/metal bead chain length override (See Page 10 for Loop Length Options)
• Hold-Down Brackets
• Metal Bead Chain Option <i>(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette)</i>

BLISS Automation pricing. [Click here to view.](#)  
 Somfy Automation pricing. [Click here to view.](#)  
 PowerWand pricing. [Click here to view.](#)



**GROUP 4**

• Luna - LD (102") • Pressed (102") • Serene - LD (102") • Traverse - LD (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
<b>HEIGHT TO:</b>														
40"	\$482	536	591	647	701	756	810	866	919	957	1031	1084	1142	1196
50"	501	561	620	684	742	803	863	921	981	1023	1103	1162	1224	1284
60"	524	588	653	720	786	849	915	980	1044	1089	1176	1239	1309	1375
70"	543	613	682	756	827	895	964	1036	1106	1155	1248	1319	1391	1461
80"	563	639	714	791	868	942	1017	1092	1167	1221	1321	1396	1474	1549
90"	584	665	747	829	909	990	1069	1150	1231	1287	1395	1475	1558	1638
100"	604	690	775	865	951	1036	1121	1208	1293	1352	1467	1552	1642	1728

**GROUP 5**

• Cinema (92") • Definition - LD (90") • Eaton (92") • Epicure(100") • Glorious (90") • Lakeside (90") • Riverside (102") • Sublime (90")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
<b>HEIGHT TO:</b>														
40"	\$521	584	648	717	780	845	909	974	1038	1084	1169	1234	1301	1365
50"	549	619	692	767	838	909	982	1053	1125	1176	1272	1343	1418	1491
60"	578	657	735	818	896	976	1056	1136	1214	1270	1376	1455	1537	1616
70"	605	692	777	869	955	1042	1127	1215	1301	1361	1477	1565	1654	1739
80"	635	727	823	919	1012	1106	1201	1294	1389	1455	1580	1673	1771	1863
90"	662	765	867	971	1070	1173	1274	1377	1476	1547	1683	1784	1888	1990
100"	691	801	908	1020	1128	1237	1347	1456	1565	1638	1784	1893	2006	2114
110"	720	837	953	1071	1187	1304	1420	1537	1654	1733	1888	2004	2124	2239
120"	749	872	996	1122	1245	1370	1494	1616	1739	1825	1990	2114	2240	2363

**GROUP 6**

• Extravagance (100") • Luxury (100") • Obscure - LD (96") • Palladian (100")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"
<b>HEIGHT TO:</b>														
40"	\$565	641	716	793	869	943	1018	1092	1166	1220	1320	1395	1472	1547
50"	602	686	770	857	941	1026	1109	1193	1277	1338	1451	1533	1621	1704
60"	640	732	827	922	1016	1109	1203	1296	1390	1456	1581	1674	1771	1863
70"	675	776	880	987	1089	1192	1295	1398	1501	1572	1710	1813	1919	2021
80"	710	824	935	1049	1162	1274	1386	1500	1612	1690	1840	1952	2067	2179
90"	748	869	991	1116	1236	1358	1480	1603	1725	1808	1970	2091	2217	2338
100"	784	915	1045	1179	1311	1441	1572	1703	1835	1924	2099	2232	2365	2495
110"	819	959	1102	1243	1384	1526	1666	1806	1946	2044	2232	2370	2515	2656
120"	856	1005	1155	1309	1458	1608	1758	1907	2057	2161	2361	2511	2663	2813

OPTIONS: EXTRA CHARGE	
• Retractable Cord .....	add \$88 per shade
• Agile Lift .....	add \$120 per shade

OPTIONS: NO CHARGE – SPECIFY ON ORDER	
• 2 on 1 Headrail (price as two separate shades)	
• Non-wrapped bottomrail option (fabric-wrapped bottomrail standard)	
• Cord loop/metal bead chain length override (See Page 10 for Loop Length Options)	
• Hold-Down Brackets	
• Metal Bead Chain Option <i>(Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette)</i>	

BLISS Automation pricing. [Click here to view.](#)  
 Somfy Automation pricing. [Click here to view.](#)  
 PowerWand pricing. [Click here to view.](#)

# SHADE SPECIFICATIONS

	Minimum Width (Net) Per Panel	Minimum Width of 2-on-1 (Net)	Minimum Height
Continuous Cord Loop	15"	30"	24"
Retractable Cord	15"	30"	20"
AgileLift	18"	36"	20"
PowerWand 1.1Nm & 2.0 Nm	19½"	39"	20"
Bliss™ 1.1Nm DC	16"	32"	20"
Bliss™ 2.0Nm DC	21.5"	43"	20"
Bliss™ 1.1Nm Li-Ion	21½"	43"	20"
Bliss™ 2.0Nm Li-Ion	28"	56"	20"
Sonessé@ 28 WireFree™ RTS DC & ZigBee	16"	32"	20"
Sonessé@ 28 WireFree™ RTS Li-Ion & ZigBee	24"	48"	20"
Sonessé@ ULTRA 30 WireFree™ RTS Li-Ion & ZigBee	27½"	55"	20"
Sonessé@ 30 24v DC	19½"	39"	20"

Pattern Name	Family Code	Continuous Cord Loop				AgileLift			
		Retractable Cord		2-on-1 Overall Max Width	Maximum Height	Single Panel Shade Max Width	2-on-1 Single Panel Max Width	2-on-1 Max Overall Width	Maximum Height
Single Panel Shade Max Width	2-on-1 Single Panel Max Width								
Avalon	DS53	102"	95"	110"	110"	84"	84"	102"	84"
Beaumont	DS3	96"	95"	98"	120"	84"	80"	98"	84"
Buena Vista	DS52	102"	95"	110"	92"	84"	84"	102"	84"
Cinema	DS4	92"	95"	94½"	120"	84"	76½"	94½"	84"
Definition	DS6	90"	95"	108"	120"	84"	84"	102"	84"
Delicate	DS60	102"	95"	110"	90"	84"	84"	102"	84"
Eaton	DS56	92"	95"	110"	90"	84"	84"	102"	84"
Elegance	DS59	90"	95"	110"	96"	84"	84"	102"	84***
Epicure	DS7	100"	95"	108"	120"	84"	84"	102"	84***
Extravagance	DS8	100"	95"	110"	120"	84"	84"	102"	84"
Glorious	DS18	90"	95"	110"	120"	84"	84"	102"	84"
Indulgence	DS62	102"	95"	110"	110"	84"	84"	102"	84"
Knollwood	DS55	102"	95"	110"	90"	84"	84"	102"	84"
Knollwood Wide	DS66	102"	95"	110"	90"	84"	84"	102"	84"
Lakeside	DS58	90"	95"	110"	90"	84"	84"	102"	84**
Lavish	DS50	102"	95"	110"	106"	84"	84"	102"	84**
Luminous	DS61	96"	95"	110"	90"	84"	84"	102"	84"
Luna	DS65	102"	95"	110"	96"	84"	84"	102"	84"
Luxury	DS10	100"	95"	110"	120"	84"	84"	102"	84**
Mid Century	DS51	102"	95"	110"	110"	84"	84"	102"	84**
Obscure	DS13	96"	95"	112"	100"	84"	84"	102"	84**
Palladian	DS14	100"	95"	108"	120"	84"	84"	102"	84"
Pressed	DS57	102"	95"	110"	90"	84"	84"	102"	84**
Riverside	DS54	102"	95"	110"	106"	84"	84"	102"	84"
Serene	DS64	102"	95"	110"	96"	84"	84"	102"	84"
Strande	DS16	100"	95"	108"	120"	84"	84"	102"	84"
Sublime	DS17	90"	95"	110"	100"	84"	84"	102"	84**
Traverse	DS63	96"	95"	110"	90"	84"	84"	102"	84"

\*See height restriction information  
**NOTE:** For 2-on-1 Center Gap is ½"

Agile Lift Height Restrictions			
Pattern Name	Family Code	Shade Width	Maximum Height
Elegance	DS59	18"	70"
Indulgence	DS62	18"	70"
Knollwood	DS55	≤ 40"	68"
		40½" to 42"	70"
		42½" to 44"	72"
		44½" to 46"	74"
Knollwood Wide	DS66	46½" to 48"	78"
		≤ 48"	68"
Luna	DS65	≤ 46"	76"
		46½" to 48"	78"
Obscure	DS13	≤ 24"	70"
		24½" to 36"	74"
Pressed	DS57	≤ 28"	76"
Serene	DS64	18"	70"
Traverse	DS63	≤ 46"	76"
		46½" to 48"	78"



# SHADE SPECIFICATIONS

BLISS								
Pattern Name	Family Code	Single Panel Shade Max Width	2-on-1 Single Panel Max Width Bliss™ 1.1 DC	2-on-1 Single Panel Max Width Bliss™ 1.1 Li-Ion	2-on-1 Overall Max Width Bliss™ 2.0 Li-Ion	2-on-1 Overall Max Width Bliss™ 2.0 DC	2 on 1 Max. Width overall	Maximum Height
Avalon	DS53	102"	94"	88½"	82"	88.5"	110"	110"
Beaumont	DS3	96"	82"	76½"	70"	76.5"	98"	120"
Buena Vista	DS52	102"	94"	88½"	82"	88.5"	110"	92"
Cinema	DS4	92"	78½"	73"	66½"	73"	94½"	120"
Definition	DS6	90"	90"	86½"	80"	86.5"	108"	120"
Delicate	DS60	102"	94"	88½"	82"	88.5"	110"	90"
Eaton	DS56	92"	92"	88½"	82"	88.5"	110"	90"
Elegance	DS59	90"	90"	88½"	82"	88.5"	110"	96"
Epicure	DS7	100"	92"	88½"	80"	86.5"	108"	120"
Extravagance	DS8	100"	94"	88½"	82"	88.5"	110"	120"
Glorious	DS18	90"	90"	88½"	82"	88.5"	110"	120"
Indulgence	DS62	102"	94"	88½"	82"	88.5"	110"	110"
Knollwood	DS55	102"	94"	88½"	82"	88.5"	110"	90"
Knollwood Wide	DS66	102"	94"	88½"	82"	88.5"	110"	90"
Lakeside	DS58	90"	90"	88½"	82"	88.5"	110"	90"
Lavish	DS50	102"	94"	88½"	82"	88.5"	110"	106"
Luminous	DS61	96"	94"	88½"	82"	88.5"	110"	90"
Luna	DS65	102"	94"	88½"	82"	88.5"	110"	96"
Luxury	DS10	100"	94"	88½"	82"	88.5"	110"	120"
Mid Century	DS51	102"	94"	88½"	82"	88.5"	110"	110"
Obscure	DS13	96"	96"	90½"	84"	90.5"	112"	100"
Palladian	DS14	100"	92"	86½"	80"	86.5"	108"	120"
Pressed	DS57	102"	94"	88½"	82"	88.5"	110"	90"
Riverside	DS54	102"	94"	88½"	82"	88.5"	110"	106"
Serene	DS64	102"	94"	88½"	82"	88.5"	110"	96"
Strande	DS16	100"	92"	86½"	80"	86.5"	108"	120"
Sublime	DS17	90"	90"	88½"	82"	88.5"	110"	100"
Traverse	DS63	96"	94"	88½"	82"	88.5"	110"	90"

NOTE: For 2-on-1 Center Gap is ½"


Somfy									PowerWand			
Pattern Name	Family Code	Single Panel Shade Max. Width	2-on-1 Max. Width (net) Sonesse® 28 WireFree™ RTS Li-Ion & ZigBee	2-on-1 Max. Width (net) Sonesse® 28 WireFree™ RTS DC & ZigBee	2-on-1 Max. Width (net) Sonesse® ULTRA 30 WireFree™ RTS Li-Ion & ZigBee	2-on-1 Max. Width (net) Sonesse® 30 24v DC	2-on-1 Max. Width Overall	Maximum Height	Single Panel Shade Max. Width	2-on-1 Single Panel Max. Width	2-on-1 Overall Max. Width	Maximum Height
Avalon	DS53	102"	86"	94"	82½"	90½"	110"	110"	102"	90½"	110"	110"
Beaumont	DS3	96"	74"	82"	82½"	90½"	98"	120"	96"	78½"	98"	120"
Buena Vista	DS52	102"	86"	94"	82½"	90½"	110"	92"	102"	90½"	110"	92"
Cinema	DS4	92"	70½"	78½"	82½"	90½"	94½"	120"	92"	75"	94½"	120"
Definition	DS6	90"	84"	90"	82½"	90"	108"	120"	90"	88½"	108"	120"
Delicate	DS60	102"	86"	94"	82½"	90½"	110"	90"	102"	90½"	110"	90"
Eaton	DS56	92"	86"	92"	82½"	90½"	110"	90"	92"	90½"	110"	90"
Elegance	DS59	90"	86"	90"	82½"	90"	110"	96"	90"	90½"	110"	96"
Epicure	DS7	100"	84"	92"	82½"	90½"	108"	120"	100"	88½"	108"	120"
Extravagance	DS8	100"	86"	94"	82½"	90½"	110"	120"	100"	90½"	110"	120"
Glorious	DS18	90"	86"	90"	82½"	90"	110"	120"	90"	90"	110"	120"
Indulgence	DS62	102"	86"	94"	82½"	90½"	110"	110"	102"	90½"	110"	110"
Knollwood	DS55	102"	86"	94"	82½"	90½"	110"	90"	102"	90½"	110"	90"
Knollwood Wide	DS66	102"	86"	94"	82½"	90½"	110"	90"	102"	90½"	110"	90"
Lakeside	DS58	90"	86"	90"	82½"	90"	110"	90"	90"	90"	110"	90"
Lavish	DS50	102"	86"	94"	82½"	90½"	110"	106"	102"	90½"	110"	106"
Luminous	DS61	96"	86"	94"	82½"	90½"	110"	90"	96"	90½"	110"	90"
Luna	DS65	102"	86"	94"	82½"	90½"	110"	96"	102"	90½"	110"	96"
Luxury	DS10	100"	86"	94"	82½"	90½"	110"	120"	100"	90½"	110"	120"
Mid Century	DS51	102"	86"	94"	82½"	90½"	110"	110"	102"	90½"	110"	110"
Obscure	DS13	96"	88"	96"	82½"	90½"	112"	100"	96"	92½"	112"	100"
Palladian	DS14	100"	84"	92"	82½"	90½"	108"	120"	100"	88½"	108"	120"
Pressed	DS57	102"	86"	94"	82½"	90½"	110"	90"	102"	90½"	110"	90"
Riverside	DS54	102"	86"	94"	82½"	90½"	110"	106"	102"	90½"	110"	106"
Serene	DS64	102"	86"	94"	82½"	90½"	110"	96"	102"	90½"	110"	96"
Strande	DS16	100"	84"	92"	82½"	90½"	108"	120"	100"	88½"	108"	120"
Sublime	DS17	90"	86"	90"	82½"	90"	110"	100"	90"	90"	110"	100"
Traverse	DS63	96"	86"	94"	82½"	90½"	110"	90"	96"	90½"	110"	90"

NOTE: For 2-on-1 Center Gap is ½"

## PRODUCT INFORMATION

### Cassette Measurement

- 3-5/8" wide x 3" high



### Mounting Requirements

#### Inside Mount

- Minimum shallow mounting surface: 1-1/2"
- Minimum flush inside mounting including brackets for cassette: 3-3/4"


#### Outside Mount

- Minimum outside mount surface: 1-1/2"

### Hardware Colors

Cassette available in white, vanilla, black, dark brown and anodized silver.

- A matching fabric insert in headrail is a standard feature
- **Please Note:** on certain fabrics with narrower bands, the fabric insert will feature both the solid fabric and the sheer.
- Fabric-wrapped bottomrail is a standard feature (non-wrapped bottomrail optional)
- Universal metal bracket will be supplied
- Cord loops and tensioners are color-coordinated



### Metal Bead Chain Option

- Metal Chain optional in the following colors: Black Nickel, Oil Rubbed Bronze, Antique Brass, Stainless Steel.
- (Please note: when metal bead chain option is selected, the tensioner color will coordinate with the Cassette)

### Cord Loop, Metal Beaded Chain Lengths


SHADE HEIGHT	LOOP DROP
24" - 39 <sup>7</sup> / <sub>8</sub> "	24" loop
40" - 59 <sup>7</sup> / <sub>8</sub> "	36" loop
60" - 83 <sup>7</sup> / <sub>8</sub> "	48" loop
84" - 107 <sup>7</sup> / <sub>8</sub> "	60" loop
108" - 120"	72" loop

12" Cord Loop (white only) and 12" Metal Bead Chain override option is available. Metal Bead Chain will be in color selected.

**Please Note:** Environmental conditions, such as heat, humidity, etc., may result in light bowing, puckering and dimpling of the fabric which is considered normal. Some fabrics may lightly fray which is considered normal and within specifications.

### Bottom Rails

- Small - 1-1/4" tall
- Large - 1-5/8" tall
- Available in 5 colors:  
White, Ivory, Bronze, Black and Gray



### Retractable Cord

- Cord length is 40% of the shade height

### Fabric Note

- As with all textiles, Dual Shade fabrics are subject to some variations. Slight wrinkles or waviness are inherent to textile products and should be considered normal, acceptable quality. Waviness can be more prevalent on wide width shades.

### Band Alignment


- Band alignment from the front to the back panel can appear different depending on the angle you are looking at the shade. Fabric and sheer bands are set in fabrication to align front-to-back in the closed position. Due to possible slight variances in band sizes, that are within industry standards, when in the open position bands could appear to not align perfectly from the front to the back panel.

---


## STANDARD OPERATION

---

**CAUTION:** Make sure there aren't any obstacles or anything resting on the Dual Shade fabric during the operation. Contact of the screen with objects may cause lateral shifting.



Pull the front of the cord loop to raise the shade.




Pull the back of the cord loop to lower the shade.

---

## RETRACTABLE CORD OPERATION


---

**CAUTION:** To avoid damage to the shade or personal injury, do not use excessive force or long strokes when pulling the cord. Do not release the cord until it is fully retracted.



### To Lower the Shade and Transition the Band Position

- Hold the cord toward you and away from the shade.
- Pull the cord using short, even strokes.
- Allow the cord to retract after each stroke. Continue until the shade is at the desired height or the bands are aligned at the desired position.



### To Raise the Shade and Transition the Band Position

- Hold the cord close to the shade.
- Pull straight down using short, even strokes.
- Allow the cord to retract after each stroke. Continue until shade is at the desired height or the bands are aligned at the desired position.

**IMPORTANT:** Avoid pulling the cord in the non-operable zone shown in the illustration.

---

## AGILELIFT OPERATION

---

- Effortless positioning of the shade. Simply raise and lower the shade to the desired position.
- Two handles are sent with every AgileLift shade and should be installed once the shade has been installed.
- Two hands should always be used with the handles enclosed to operate the AgileLift system, regardless of shade size, to ensure the system stays counterbalanced.
- Handles are also enclosed to help keep fabric clean.
- AgileLift systems are available with the large bottomrail only.



---

## POWERWAND

---

- Simple, minimal programming for worry free operation.
- Touch and walk away push control options, including favorite positions
- Rechargeable lithium-ion battery powered wand eliminates the need for batteries
- Keep pets and children safe with cord free
- Available in 5 colors: white, vanilla, gray, bronze, black and 6 lengths.



---

## AUTOMATION OPERATION

---

- [Click here](#) to refer to the Automation guide.

## FINISHED DIMENSIONS

	Continuous Cord Loop	Retractable Cord	AgileLift	Bliss Automation	Somfy Automation	PowerWand 1.0 Nm	PowerWand 2.0 Nm
<b>INSIDE MOUNT</b>							
<b>Single Panel</b>							
Cassette Width	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"
Tube Width	minus 1½"	minus 1¼"	minus 1"	minus 1-3/16"	minus 1-3/16"	minus ¼"	minus 1½"
Fabric Width	minus 1¼"	minus 1¾"	minus 1"	minus 1-5/16"	minus 1-5/16"	minus 1¾"	minus 1¼"
Bottom Rail Outer Width	minus 1"	minus 1½"	minus ¾"	minus 1-1/16"	minus 1-1/16"	minus 1½"	minus 1"

	Continuous Cord Loop	Retractable Cord	AgileLift	Bliss Automation	Somfy Automation	PowerWand 1.0 Nm	PowerWand 2.0 Nm
<b>INSIDE MOUNT</b>							
<b>2-on-1 Headrail</b>							
Cassette Width	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"	minus ¼"
Tube Width	minus 1-13/16"	minus 1-15/16"	minus 1-11/16"	minus 1 7/8"	minus 1 7/8"	minus 1-15/16"	minus 1-13/16"
Fabric Width	minus 2-1/16"	minus 2-3/16"	minus 1-13/16"	minus 2 1/8"	minus 2 1/8"	minus 2-3/16"	minus 2-1/16"
Bottom Rail Outer Width	minus 1-9/16"	minus 1-11/16"	minus 1-5/16"	minus 1¾"	minus 1¾"	minus 1-11/16"	minus 1-9/16"

	Continuous Cord Loop	Retractable Cord	AgileLift	Bliss Automation	Somfy Automation	PowerWand 1.0 Nm	PowerWand 2.0 Nm
<b>OUTSIDE MOUNT</b>							
<b>Single Panel</b>							
Cassette Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width
Tube Width	minus 7/8"	minus 1"	minus ¾"	minus 15/16"	minus 15/16"	minus 1"	minus 7/8"
Fabric Width	minus 1"	minus 1½"	minus 7/8"	minus 1-1/16"	minus 1-1/16"	minus 1½"	minus 1"
Bottom Rail Outer Width	minus ¾"	minus 7/8"	minus ½"	minus 13/16"	minus 13/16"	minus 7/8"	minus ¾"

	Continuous Cord Loop	Retractable Cord	AgileLift	Bliss Automation	Somfy Automation	PowerWand 1.0 Nm	PowerWand 2.0 Nm
<b>OUTSIDE MOUNT</b>							
<b>2-on-1 Headrail</b>							
Cassette Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width	Ordered Width
Tube Width	minus 1-9/16"	minus 1-11/16"	minus 1-7/16"	minus 1-5/8"	minus 1-5/8"	minus 1-11/16"	minus 1-9/16"
Fabric Width	minus 1-13/16"	minus 1-15-16"	minus 1-11/16"	minus 1-7/8"	minus 1-7/8"	minus 1-15-16"	minus 1-13/16"
Bottom Rail Outer Width	minus 1-5/16"	minus 1-7/16"	minus 1-1/16"	minus 1-3/8"	minus 1-3/8"	minus 1-7/16"	minus 1-5/16"

**NOTES:** Deductions are taken from **Ordered Width**. Shade Height is **Ordered Height**