

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS

design simplified

SOFTSTYLE SHADES

Pricing effective September 16, 2024 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

Revised 2-1-25

[Table of Contents](#)

SUMMARY OF REVISIONS

2-1-25 Revisions

Page 25Updated min width cordless charts

12-1-24 Revisions

Page 6Added hardware system chart

11-1-24 Revisions

Page 25Updated Cordless Lift charts

TABLE OF CONTENTS

• Pattern Information	2
• Color Charts	3-6
• Hardware colors, Stack Chart and Privacy Light Block	6

Pricing for Standard Rectangular, Options, Automation Surcharges

• Pricing and Options – Standard Rectangular	7-16
• 2" Hybrid Pleat	17-18
• TriLight Shades Pricing	19
• Arches Pricing	20
• Skylight Pricing	21
• Vertical Application Pricing	22-24

Rectangular Configuration Specifications

• Cordless Lift	25
• Cordless Lift & Lock™	26
• Continuous Cord Loop	27

TriLight Shades®

• Smart Facts	28
• Selecting a TriLight Shade	28
• Sheer Pleated Color Chart	29
• Configuration Specifications	30-33

Product Configuration Specifications

• Bliss Automation	34-37
• Somfy Automation	38-39
• Powerwand	40-41
• Vertical Application	42-43
• Classic Skylight and Skylight with Automation	44-45
• Arches	46
• Specialty Shapes	47-48

Dealer Sales Guide – With our brand new Dealer Sales Guides, you can gain a comprehensive understanding of our products, including product characteristics and performance expectations. [Click here to explore.](#)

Automation Price Guide – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

Pattern Name		# of Cells	Price Group (Standard)	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions	Hardware Options
Light Filtering - Single Cell								• Continuous Cord Loop System • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System • Cordless Lift System Top-Down/Bottom-Up • Cordless Lift & Lock • Cordless Lift & Lock Top-Down/Bottom-Up • Top-Down • Top-Down/Bottom-Up • Two-On-One Rail • TriLight • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Powerwand • Bliss Automation - Bottom Up - TDBU - TriLight • Somfy Automation - Bottom Up
SoftStyle Beginnings Light Filtering – Large Single Cell	S50	Single	2-SS	1, 2 & 3	Yes	C		
SoftStyle Light Filtering – Small Single Cell	S11	Single	1-SS	1, 2 & 3	Yes	C	Vertical Application	
SoftStyle Light Filtering – Large Single Cell	S21	Single	4-SS	1, 2 & 3	Yes	C		
Light Filtering - Double Cell								
SoftStyle Beginnings Light Filtering – Double Cell	S51	Double	3-SS	1, 2 & 3	Yes	C	Vertical Application, Arches	
SoftStyle Light Filtering – Double Cell	S31	Double	5-SS	1, 2 & 3	Yes	C	Vertical Application	
Blackout - Single Cell								
SoftStyle Blackout – Small Single Cell	S13	Single	6-SS	1 & 3	Yes	D	Vertical Application	
SoftStyle Blackout – Large Single Cell	S23	Single	7-SS	1 & 3	Yes	D		
SoftStyle Subdue Blackout - Large Single Cell	S61	Single	8-SS	1 & 3	Yes	D	Vertical Application	
Blackout - Double Cell								
SoftStyle Blackout – Double Cell	S32	Double	8-SS	1 & 3	Yes	D	Vertical Application	
1-1/4" Cell								
SoftStyle Light Filtering – 1-1/4" Single Cell	S41	Single	9-SS	1, 2 & 3	Yes	C	Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, TriLight	
SoftStyle Blackout – 1-1/4" Single Cell	S43	Single	10-SS	1, 2 & 3	Yes	D	Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, TriLight	
Hybrid Pleat								
2" Hybrid Pleat – Light Filtering	HPF	Single	Hybrid Pleat Light Filtering	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Single	Hybrid Pleat Blackout	1, 2 & 3	Yes	D	Skylight, Arches, Angles, Specialty Shapes, PowerWand	
Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.		Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.			Care Method 3 Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.			
LIGHT CONTROL DEFINITIONS								
A	Sheer - Filtered light for an open, softened view, UV protection and glare reflection, when privacy is not a concern.							
B	Semi-Sheer - Softly diffuses light while offering minimal privacy. Images, shapes and people can be seen with some clarity.							
C	Light Filtering/Translucent - Softly diffuses sunlight and provides a moderate degree of privacy as only shadows will be discernible.							
D	Room Darkening / Blackout -							
	Room Darkening dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible. Blackout fabrics provide the ultimate in light control and privacy; perfect for bedrooms, nurseries, or media rooms. Pair with side channels or privacy light block for additional light control.							

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Light Filtering				
S11	589	Afternoon Light	862	N/A
S11	1553	Birdbath	810	
S11	1556	Caribbean Sky	135	
S11	515	Cavern	841	
S11	510	Celadon	958	
S11	1655	Cloud Cover	885	
S11	581	Coastal Eddy	018	
S11	528	Daisy White	320	
S11	1567	Espresso Bean	849	
S11	1559	Fly Fishing	810	
S11	1658	Foggy Night	405	
S11	524	Gold Treasure	952	
S11	513	Graystone	810	
S11	1656	Gray Wisp	765	
S11	1565	Ground Cloves	960	
S11	1552	Gunnysack	862	
S11	526	Ice Age	862	
S11	1659	Ice Princess	661	
S11	1550	Ice Rink	885	
S11	1654	Imagine	018	
S11	1560	Lava Rock	405	
S11	529	Lemon Frost	674	
S11	500	Marshmallow	661	
S11	1557	Night Blue	450	
S11	1566	Oak Branch	849	
S11	584	Ocean Blue	450	
S11	527	Pale White *	785	
S11	1652	Parchment	885	
S11	1651	Pressed Petals	205	
S11	1564	Redwood	956	
S11	1561	Rock Garden	765	
S11	588	Rocking Chair	083	
S11	517	Rye	630	
S11	1650	Sandcastle	205	
S11	503	Scone	862	
S11	509	Silver Dollar	405	
S11	1653	Snowbank	785	
S11	582	Steel	018	
S11	1657	Stillness	276	
S11	1555	Summer Storm	765	
S11	521	Trail	810	
S11	501	Veil	862	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Light Filtering				
S21	589	Afternoon Light	862	862
S21	1553	Birdbath	810	810
S21	1556	Caribbean Sky	135	661
S21	515	Cavern	841	841
S21	510	Celadon	958	862
S21	1655	Cloud Cover	885	661
S21	581	Coastal Eddy	018	276
S21	528	Daisy White	320	785
S21	1567	Espresso Bean	849	810
S21	1559	Fly Fishing	810	810
S21	1658	Foggy Night	405	276
S21	524	Gold Treasure	952	082
S21	513	Graystone	810	810
S21	1656	Gray Wisp	765	276
S21	1565	Ground Cloves	960	785
S21	1552	Gunnysack	862	862
S21	526	Ice Age	862	862
S21	1659	Ice Princess	661	661
S21	1550	Ice Rink	885	661
S21	1654	Imagine	018	276
S21	1560	Lava Rock	405	276
S21	529	Lemon Frost	674	882
S21	500	Marshmallow	661	661
S21	1557	Night Blue	450	661
S21	1566	Oak Branch	849	810
S21	584	Ocean Blue	450	661
S21	527	Pale White *	785	785
S21	1652	Parchment	885	661
S21	1651	Pressed Petals	205	862
S21	1564	Redwood	956	083
S21	1561	Rock Garden	765	276
S21	588	Rocking Chair	083	083
S21	517	Rye	630	841
S21	1650	Sandcastle	205	862
S21	503	Scone	862	862
S21	509	Silver Dollar	405	276
S21	1653	Snowbank	785	785
S21	582	Steel	018	276
S21	1657	Stillness	276	276
S21	1555	Summer Storm	765	276
S21	521	Trail	810	810
S21	501	Veil	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Light Filtering				
S31	589	Afternoon Light	862	N/A
S31	1553	Birdbath	810	
S31	1556	Caribbean Sky	135	
S31	515	Cavern	841	
S31	510	Celadon	958	
S31	1655	Cloud Cover	885	
S31	581	Coastal Eddy	018	
S31	528	Daisy White	320	
S31	1567	Espresso Bean	849	
S31	1559	Fly Fishing	810	
S31	1658	Foggy Night	405	
S31	524	Gold Treasure	952	
S31	513	Graystone	810	
S31	1656	Gray Wisp	765	
S31	1565	Ground Cloves	960	
S31	1552	Gunnysack	862	
S31	526	Ice Age	862	
S31	1659	Ice Princess	661	
S31	1550	Ice Rink	885	
S31	1654	Imagine	018	
S31	1560	Lava Rock	405	
S31	529	Lemon Frost	674	
S31	500	Marshmallow	661	
S31	1557	Night Blue	450	
S31	1566	Oak Branch	849	
S31	584	Ocean Blue	450	
S31	527	Pale White *	785	
S31	1652	Parchment	885	
S31	1651	Pressed Petals	205	
S31	1564	Redwood	956	
S31	1561	Rock Garden	765	
S31	588	Rocking Chair	083	
S31	517	Rye	630	
S31	1650	Sandcastle	205	
S31	503	Scone	862	
S31	509	Silver Dollar	405	
S31	1653	Snowbank	785	
S31	582	Steel	018	
S31	1657	Stillness	276	
S31	1555	Summer Storm	765	
S31	521	Trail	810	
S31	501	Veil	862	

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
 VA = Vertical application shades

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE			FABRIC			HARDWARE			FABRIC			HARDWARE		
Code	Color #	Color Name	STD	VA		Code	Color #	Color Name	STD	VA		Code	Color #	Color Name	STD	VA	
SMALL SINGLE CELL - Blackout					N/A	LARGE SINGLE CELL - Blackout					N/A	DOUBLE CELL - Blackout					N/A
S13	1743	Birdbath	810			S23	1743	Birdbath	810	810		S32	1743	Birdbath	810		
S13	1855	Cloud Cover	885			S23	1855	Cloud Cover	885	661		S32	1855	Cloud Cover	885		
S13	1856	Cookie Dough	862			S23	1856	Cookie Dough	862	862		S32	1856	Cookie Dough	862		
S13	1747	Espresso Bean	849			S23	1747	Espresso Bean	849	862		S32	1747	Espresso Bean	849		
S13	706	Goose Down	661			S23	706	Goose Down	661	661		S32	706	Goose Down	661		
S13	1748	Gray Gust	018			S23	1748	Gray Gust	018	276		S32	1748	Gray Gust	018		
S13	1744	Ground Pepper	765			S23	1744	Ground Pepper	765	276		S32	1744	Ground Pepper	765		
S13	710	Ice Princess	661			S23	710	Ice Princess	661	661		S32	710	Ice Princess	661		
S13	1854	Imagine	018			S23	1854	Imagine	018	276		S32	1854	Imagine	018		
S13	702	Irish Coffee	862			S23	702	Irish Coffee	862	862		S32	702	Irish Coffee	862		
S13	1750	Night Blue	450			S23	1750	Night Blue	450	661		S32	1750	Night Blue	450		
S13	1784	Ocean Blue	450			S23	1784	Ocean Blue	450	661		S32	1784	Ocean Blue	450		
S13	1851	Parchment	885			S23	1851	Parchment	885	661		S32	1851	Parchment	885		
S13	700	Pebble	361			S23	700	Pebble	361	841		S32	700	Pebble	361		
S13	701	Pitch Black	048			S23	701	Pitch Black	048	048		S32	701	Pitch Black	048		
S13	707	Pristine Palace	862			S23	707	Pristine Palace	862	862		S32	707	Pristine Palace	862		
S13	1745	Red Sand	956			S23	1745	Red Sand	956	083		S32	1745	Red Sand	956		
S13	704	Richwood	849			S23	704	Richwood	849	810		S32	704	Richwood	849		
S13	1853	Rocky Beach	785			S23	1853	Rocky Beach	785	785		S32	1853	Rocky Beach	785		
S13	708	Sand Sculpture	882			S23	708	Sand Sculpture	882	882		S32	708	Sand Sculpture	882		
S13	1746	Sandstone Gray	810			S23	1746	Sandstone Gray	810	810		S32	1746	Sandstone Gray	810		
S13	763	Silver Dollar	405			S23	763	Silver Dollar	405	276		S32	763	Silver Dollar	405		
S13	1852	Snowbank	785			S23	1852	Snowbank	785	785		S32	1852	Snowbank	785		
S13	740	Thunder Cloud	405			S23	740	Thunder Cloud	405	276		S32	740	Thunder Cloud	405		
S13	1850	Vanilla Ice Cream	785			S23	1850	Vanilla Ice Cream	785	785		S32	1850	Vanilla Ice Cream	785		
S13	1857	Weathered Brick	954			S23	1857	Weathered Brick	954	082		S32	1857	Weathered Brick	954		
S13	1858	Woods	405			S23	1858	Woods	405	276		S32	1858	Woods	405		
S13	1742	Yucca Cactus	135			S23	1742	Yucca Cactus	135	785		S32	1742	Yucca Cactus	135		

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Light Filtering				
Where applicable, coordinates with cellular color of the same name				
S41	500	Marshmallow	661	661
S41	1553	Birdbath	810	810
S41	513	Graystone	810	810
S41	581	Coastal Eddy	018	276
S41	582	Steel	018	276
S41	509	Silver Dollar	405	276
S41	527	Pale White (Yellow)	785	785
S41	589	Afternoon Light	862	862
S41	1552	Gunnysack	862	862
S41	1555	Summer Storm	765	276
S41	515	Cavern	841	841
S41	521	Trail	810	810

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Blackout				
Where applicable, coordinates with cellular color of the same name				
S43	7500	Goose Down	661	661
S43	7553	Birdbath	810	810
S43	7610	Ice Princess	661	661
S43	7648	Gray Gust	018	276
S43	7509	Silver Dollar	405	276
S43	7640	Thunder Cloud	405	276

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Light Filtering				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPF	2753	Caribbean Sky	135	661
HPF	715	Cavern	361	862
HPF	2750	Coastal Eddy	018	276
HPF	2852	Foggy Night	405	276
HPF	735	Ice Age	862	862
HPF	2851	Imagine	018	276
HPF	2752	Lava Rock	405	276
HPF	700	Marshmallow	661	661
HPF	727	Pale White *	785	785
HPF	2850	Stillness	276	276
HPF	2751	Summer Storm	765	276
HPF	739	Trail	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPR	2950	Birdbath	810	810
HPR	2978	Cloud Cover	885	661
HPR	2951	Gray Gust	018	276
HPR	910	Ice Princess	661	661
HPR	2974	Imagine	018	276
HPR	919	Sandstone Gray	810	810

NOTE: Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Light Filtering				
S50	537	Boulder	765	276
S50	8501	Whiteboard	661	661
S50	8503	Banana Cream	320	785
S50	531	Merino	661	661
S50	8506	Soapstone	018	276
S50	532	Wafer	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Light Filtering				
S51	537	Boulder	765	N/A
S51	8501	Whiteboard	661	
S51	8503	Banana Cream	320	
S51	531	Merino	661	
S51	8506	Soapstone	018	
S51	532	Wafer	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout				
S61	3744	Birdbath	810	N/A
S61	3741	Goose Down	885	
S61	3745	Gray Gust	018	
S61	3742	Ice Princess	885	
S61	3743	Pristine Palace	661	

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
 VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

HARDWARE COLOR CHART

Hardware Colors											
		STD	1-1/4"	VA	Cord Tensioner*			STD	1-1/4"	VA	Cord Tensioner*
018	Satin Silver	X	X	N/A	White	674	Bamboo Stalk	X	N/A	N/A	Vanilla
048	Black	X	X	X	black	685	Blue Sky	X	N/A	N/A	White
082	Camel	X	X	X	Light Brown	765	Silver Maple	X	X	N/A	White
083	Cocoa	X	X	X	Light Brown	785	Aspen White	X	X	X	Vanilla
127	Cameo	X	X	N/A	Vanilla	810	Mushroom	X	X	X	Dark Brown
135	Whisper Heather	X	X	N/A	White	841	Dark Blonde	X	X	X	Light Brown
205	Fawn	X	X	N/A	Vanilla	849	Mocha	X	N/A	N/A	Dark Brown
276	Silverado	X	X	X	White	862	Gardenia White	X	X	X	Vanilla
320	Rich Cream	X	N/A	N/A	Vanilla	882	Honey Bisque	X	X	X	Vanilla
361	Tender Taupe	X	X	N/A	Dark Brown	885	Flex White	X	X	N/A	White
405	Gray Flannel	X	X	N/A	Dark Brown	952	Pristine Beach	X	N/A	N/A	Light Brown
450	Skyline	X	X	N/A	White	954	Tranquil Tea	X	N/A	N/A	Light Brown
621	Putty	X	X	N/A	Vanilla	956	Renaissance Clay	X	N/A	N/A	Light Brown
630	Gold Leaf	X	N/A	N/A	Light Brown	958	Velvet Fern	X	N/A	N/A	Vanilla
661	White Tiara	X	X	X	White	960	Terra Cotta Um	X	N/A	N/A	Vanilla
401	Silver Sand	X	X	X	White	180	Dove Gray	X	X	X	Dark Brown

*Effective on Continuous Cord Loop orders placed after 5/14/2024

STACK CHART

Family	48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop
Softstyle Light Filtering - Large Single Cell	1"	1-1/2"	1-3/4"	2-1/2"
Softstyle Light Filtering - Small Single Cell	1-1/8"	2"	2-1/4"	2-7/8"
Softstyle Light Filtering - Double Cell	1-5/8"	2-1/2"	2-5/8"	3-5/8"
Softstyle Light Filtering - 1-1/4" Single Cell (Max Drop 108")	1/2"	3/4"	1"	1-3/8"
Softstyle Blackout - Large Single Cell	7/8"	1-1/4"	1-1/2"	1-1/2"
Softstyle Blackout - Small Single Cell	7/8"	1-1/2"	1-3/4"	2"
Softstyle Blackout - Double Cell	3/4"	1-1/4"	1-1/2"	3"
Softstyle Blackout - 1-1/4" Single Cell (Max Drop 108")	3/4"	1-1/8"	1-1/4"	1-5/8"
Softstyle Subdue Blackout - Large Single Cell	1-1/2"	2"	2-1/8"	2-1/2"
Softstyle Beginnings Light Filtering - Large Single Cell	1"	1"	1-1/4"	1-3/4"
Softstyle Beginnings Light Filtering - Double Cell	1-1/8"	1-7/8"	2"	2-1/2"
2" Hybrid Pleat - Light Filtering	3/4"	1-1/8"	1-1/2"	1-3/4"
2" Hybrid Pleat - Blackout	1"	1-1/4"	1-3/4"	2-1/8"

Hardware System

Rail heights to be added to the above

Lift & Lock - Deluxe Headrail	1-1/2"
Lift & Lock - Premium Headrail	2-1/2"
Continuous Cord Loop, Cordless, Motorized	2"
1-1/4" Cordless, Motorized	2"

PRIVACY LIGHT BLOCK


Privacy Light Block

- Available in 5 colors: White, Gray, Vanilla, Bronze and Black
- Inside Mount Only

Surcharge applies; refer to price grids section.

Shade Deductions:

- If Privacy Light Block is selected – 1/2", in addition to the 1/4" for IB Only
- Available on Cordless, Lift & Lock, Powerwand, Bliss Automation and Somfy Automation



GROUP 1-SS

• SoftStyle 9/16" Light Filtering (S11)

WIDTH

HEIGHT

GROUP 1	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$159	176	203	223	247	271	293	313	335	381	433	479	530
42"	169	190	220	247	271	293	321	344	366	421	475	530	583
48"	181	212	235	262	293	321	347	378	405	459	522	578	640
54"	190	220	251	281	313	344	374	409	436	502	569	629	699
60"	203	231	271	302	335	366	399	436	472	545	609	684	749
66"	220	247	287	321	355	394	429	467	505	578	658	729	808
72"	223	257	302	341	381	418	459	498	534	618	704	781	865
78"	235	274	316	355	405	445	485	526	572	658	741	832	921
84"	247	287	331	378	421	459	505	553	598	687	781	873	969
90"	254	302	347	394	445	491	534	583	629	729	828	925	1022
96"	262	309	363	415	459	509	560	609	661	765	869	969	1074
108"	287	341	391	448	505	556	609	668	726	838	951	1063	1179
120"	305	363	429	485	549	606	668	729	787	909	1037	1160	1270

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift System* Top-Down/Bottom-Up***add \$96
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 2-SS

• SoftStyle 3/4" Beginnings Light Filtering (\$50)

WIDTH

GROUP 2	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$177	202	229	253	281	300	324	353	375	428	484	535	589
42"	195	217	248	281	310	333	364	391	425	479	539	598	663
48"	202	233	263	297	329	359	391	425	456	518	586	648	716
54"	208	245	281	317	353	383	419	452	487	559	628	701	778
60"	229	263	304	336	375	415	452	491	531	610	685	765	845
66"	245	285	321	364	409	447	491	531	574	663	744	828	914
72"	257	294	336	383	432	470	515	563	610	698	787	879	971
78"	275	317	364	415	463	506	559	610	663	756	856	954	1059
84"	285	333	383	435	491	539	592	645	698	801	908	1013	1125
90"	297	350	404	463	518	570	624	681	740	853	964	1073	1193
96"	310	364	425	484	543	598	656	716	775	895	1017	1133	1256
108"	333	391	463	525	592	651	716	784	849	978	1106	1240	1375
120"	364	432	503	574	651	722	793	867	935	1082	1227	1375	1521

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 3-SS

• SoftStyle Beginnings Double Cell Light Filtering (S51)

WIDTH

GROUP 3	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$174	195	223	247	270	292	320	344	368	419	470	519	576
42"	185	213	238	270	295	329	352	381	411	467	527	584	644
48"	200	231	264	292	324	352	381	411	445	506	572	636	697
54"	210	238	270	308	344	377	411	442	475	548	617	686	758
60"	228	259	295	332	368	404	442	482	519	597	667	747	823
66"	234	275	317	352	397	439	478	519	561	644	731	806	898
72"	251	288	332	377	422	463	503	548	597	683	775	859	950
78"	264	308	358	404	455	499	548	597	644	739	841	933	1034
84"	275	324	377	429	478	527	581	628	683	778	888	990	1099
90"	292	341	397	450	506	557	612	664	721	832	940	1051	1164
96"	301	352	411	470	530	584	639	697	758	877	994	1109	1231
108"	324	381	450	509	581	636	697	765	832	954	1085	1214	1342
120"	352	422	496	564	636	701	775	844	917	1054	1196	1342	1490

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L 13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 4-SS

• SoftStyle 3/4" Light Filtering (S21)

WIDTH

HEIGHT	GROUP 4	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	\$210	234	267	295	329	352	381	414	442	503	572	628	694
	42"	228	254	292	329	361	393	425	463	496	564	633	701	775
	48"	234	275	312	352	389	422	463	496	534	612	691	765	844
	54"	251	288	332	368	414	450	496	530	576	654	743	823	917
	60"	270	312	358	397	442	487	530	581	625	718	806	901	990
	66"	288	332	377	429	478	527	576	625	672	775	877	978	1073
	72"	301	344	397	450	506	557	604	660	718	820	930	1034	1140
	78"	320	368	429	487	548	597	657	718	775	888	1007	1125	1242
	84"	332	389	450	516	576	633	697	758	820	940	1067	1193	1324
	90"	348	411	475	544	612	667	734	797	869	1002	1133	1267	1404
	96"	361	429	496	568	639	701	775	841	912	1054	1196	1334	1477
	108"	389	463	544	617	697	772	841	920	1002	1153	1303	1461	1620
	120"	429	506	592	683	765	848	933	1017	1099	1274	1445	1620	1791

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 5-SS

• SoftStyle Double Cell Light Filtering (S31)

WIDTH

HEIGHT	GROUP 5	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		\$223	247	285	317	348	373	404	439	467	530	604	664	734
42"		238	270	305	348	377	419	445	487	523	597	667	743	823
48"		251	292	332	368	411	445	487	523	572	644	726	813	894
54"		264	301	352	393	439	482	523	564	604	694	786	874	971
60"		288	329	377	425	470	519	564	612	660	758	852	950	1051
66"		301	352	400	450	506	557	612	660	718	820	930	1031	1140
72"		320	368	425	482	534	588	644	697	758	869	987	1099	1214
78"		337	393	455	516	581	633	697	758	820	940	1067	1193	1320
84"		352	414	482	548	612	667	739	797	869	999	1133	1267	1404
90"		368	436	503	576	644	715	778	848	920	1063	1201	1338	1490
96"		381	450	523	601	679	743	820	894	971	1116	1271	1416	1568
108"		414	487	576	654	739	813	894	978	1059	1222	1381	1547	1712
120"		450	534	628	718	813	901	987	1085	1169	1348	1529	1712	1899

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- | | | | |
|------------------------------------|-----------|--|-----------|
| • Fabric-Wrapped Rail Option | add \$36 | • Cordless Lift & Lock Premium Headrail Upgrade* | add \$22 |
| • Top-Down/Bottom-Up | add \$96 | (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) | |
| • Continuous Cord Loop* | add \$66 | • 18" to 36" Cordless Extension Pole #24-213 TEP-2L 13091 | \$29 |
| – Top-Down/Bottom-Up* | add \$162 | • 5' to 10' Cordless Extension Pole #400036-81511 | \$50 |
| | | • TriLight Shades – see page 19 and pages 32-36 | |
| | | • Angle Cut | add \$148 |
| | | • Privacy Light Block | \$50 |

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

Group 6-SS

• SoftStyle 9/16" Blackout (S13)

WIDTH

Group 6	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$212	235	268	293	325	350	381	415	445	505	569	629	699
42"	223	251	287	321	350	391	418	452	491	560	629	704	777
48"	247	278	316	355	391	433	467	509	549	629	715	792	880
54"	257	293	341	381	424	467	505	553	598	687	777	869	962
60"	281	313	363	415	452	502	545	598	647	741	838	940	1037
66"	293	335	381	436	491	534	583	635	691	792	905	1012	1120
72"	313	355	415	472	526	578	629	691	746	861	982	1098	1216
78"	328	378	436	494	556	613	673	738	792	916	1047	1172	1299
84"	344	394	459	526	583	650	708	777	838	974	1105	1236	1372
90"	363	418	491	553	623	691	756	832	901	1040	1183	1325	1473
96"	378	436	509	578	658	726	792	869	943	1093	1247	1398	1554
108"	405	475	556	635	719	801	873	962	1040	1203	1372	1543	1717
120"	436	512	603	691	801	865	954	1047	1133	1315	1500	1690	1867

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

Group 7-SS

• SoftStyle 3/4" Blackout (S23)

WIDTH

Group 7	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$253	281	321	353	391	428	463	497	535	610	685	760	845
42"	275	304	350	387	428	470	503	547	592	678	760	849	939
48"	297	336	383	428	470	518	567	613	666	756	859	957	1066
54"	317	353	409	463	515	563	613	669	722	828	939	1044	1161
60"	343	375	435	497	547	607	656	722	778	895	1013	1133	1253
66"	353	401	463	525	589	645	704	772	831	957	1090	1224	1352
72"	375	432	497	567	633	701	760	838	898	1041	1189	1324	1472
78"	401	456	525	598	669	740	812	891	957	1106	1264	1410	1565
84"	415	476	555	633	708	778	856	939	1013	1176	1335	1492	1661
90"	435	503	592	669	753	835	914	1003	1090	1261	1426	1605	1779
96"	456	525	613	701	793	876	957	1048	1141	1320	1510	1692	1878
108"	487	570	669	768	867	964	1055	1161	1256	1454	1657	1863	2073
120"	525	618	729	831	967	1041	1151	1267	1370	1588	1812	2037	2256

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$148
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 8-SS

• SoftStyle Double Cell Blackout (S32) • SoftStyle Subdue 3/4" Single Cell Blackout (S61)

WIDTH

HEIGHT

GROUP 8	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$260	288	329	359	401	435	476	510	547	624	704	778	867
42"	281	313	356	401	435	484	518	563	610	698	778	872	964
48"	304	343	395	440	487	535	578	628	681	778	883	983	1094
54"	324	364	419	476	531	574	628	685	740	853	964	1073	1193
60"	353	387	452	510	563	621	678	740	801	917	1041	1164	1288
66"	364	415	476	539	607	666	726	793	856	983	1120	1256	1387
72"	387	440	510	583	648	716	778	859	924	1070	1217	1358	1510
78"	409	463	539	613	690	760	831	911	983	1137	1299	1451	1608
84"	425	487	570	648	726	804	879	964	1041	1208	1370	1533	1702
90"	452	518	610	685	772	856	939	1029	1113	1293	1465	1646	1826
96"	463	539	628	722	812	898	983	1078	1173	1355	1549	1735	1926
108"	503	586	690	787	891	989	1082	1193	1288	1492	1698	1910	2129
120"	539	639	747	856	993	1073	1185	1299	1406	1629	1857	2087	2318

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Top-Down/Bottom-Up*add \$96
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

 BLISS Automation pricing. [Click here to view.](#)

 Somfy Automation pricing. [Click here to view.](#)

 PowerWand pricing. [Click here to view.](#)

GROUP 9-SS

• 1-1/4" Softstyle Light Filtering

WIDTH

HEIGHT

GROUP 9	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$242	269	307	339	378	405	438	476	508	578	658	722	798
42"	262	292	336	378	415	452	489	533	570	648	728	807	891
48"	269	316	359	405	447	485	533	570	615	704	795	880	971
54"	289	331	382	423	476	518	570	610	663	752	855	947	1054
60"	310	359	412	456	508	560	610	668	718	826	927	1036	1139
66"	331	382	433	494	549	606	663	718	773	891	1008	1124	1234
72"	347	396	456	518	582	640	694	760	826	943	1070	1189	1311
78"	368	423	494	560	630	687	756	826	891	1022	1158	1293	
84"	382	447	518	593	663	728	802	872	943	1081	1227	1372	
90"	400	472	546	625	704	767	844	916	1000	1152	1303		
96"	415	494	570	653	735	807	891	967	1049	1212			
108"	447	533	625	710	802	888	967	1058					

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Top-Down/Bottom-Up*add \$96
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

Group 10-SS

• 1-1/4" Softstyle Blackout

WIDTH

HEIGHT

Group 10	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$291	323	369	405	449	493	533	572	615	701	787	873	971
42"	316	350	402	446	493	541	579	629	681	779	873	976	1080
48"	342	387	441	493	541	595	652	705	766	870	988	1101	1226
54"	364	405	470	533	592	647	705	770	830	952	1080	1201	1336
60"	395	431	500	572	629	698	754	830	895	1029	1165	1303	1440
66"	405	461	533	604	678	741	810	888	956	1101	1253	1407	1555
72"	431	496	572	652	728	806	873	964	1033	1198	1367	1523	1693
78"	461	525	604	687	770	851	934	1024	1101	1272	1453	1622	
84"	477	547	638	728	815	895	984	1080	1165	1352	1535	1716	
90"	500	579	681	770	866	961	1051	1154	1253	1450	1640		
96"	525	604	705	806	912	1008	1101	1205	1312				
108"	560	655	770	883	997	1108	1213	1336					

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Top-Down/Bottom-Up*add \$96
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

HYBRID PLEAT (LIGHT FILTERING)

• 2" Hybrid Pleat - Light Filtering

WIDTH

HEIGHT

	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$282	320	343	380	407	439	467	560	587	649	713	848	989
42"	306	333	360	397	425	463	491	592	624	692	756	906	1053
48"	313	345	377	419	476	487	517	621	657	732	796	966	1112
54"	327	356	387	436	487	504	541	654	692	774	848	1009	1175
60"	334	373	407	456	517	537	566	692	728	821	902	1067	1241
66"	360	400	436	476	521	555	592	722	759	852	942	1121	1303
72"	371	413	445	491	533	583	624	756	796	906	993	1178	
78"	429	480	528	574	624	681	732	781	832	935	1033	1232	
84"	442	491	541	596	649	713	759	814	869	975	1084		
90"	456	510	560	617	668	735	790	848	906	1022	1129		
96"	467	522	583	636	695	759	818	881	938	1059	1162		
108"	511	581	649	719	790	869	938	1006	1079				
120"	560	641	719	796	881	972	1053	1138	1216				

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$36
- **Top-Down/Bottom-Up**add \$96
- **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
- **Cordless Top-Down/Bottom-Up***add \$96
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$29
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **TriLight Shades** – see page 19 and pages 32-36
- **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.

COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

Hybrid Pleat (Blackout)

• 2" Hybrid Pleat - Blackout

WIDTH

	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
HEIGHT	36"	\$358	388	425	464	495	535	569	682	718	794	867	1041	1216
	42"	374	407	440	488	521	569	603	723	759	845	924	1111	1288
	48"	382	423	456	513	546	598	633	759	802	895	982	1175	1368
	54"	398	438	480	528	573	621	665	798	845	949	1041	1239	1442
	60"	415	454	492	557	603	652	692	845	892	1006	1102	1312	1521
	66"	440	494	528	578	621	682	728	880	943	1048	1154	1378	1596
	72"	452	504	546	603	648	710	759	924	982	1111	1216	1448	
	78"	524	587	648	705	767	838	895	956	1017	1150	1272	1511	
	84"	569	639	710	783	853	943	1006	1078	1150	1296	1442		
	90"	624	703	783	856	943	1028	1106	1182	1267	1428	1586		
	96"	682	785	880	982	1082	1194	1288	1393	1493	1699			
	108"	812	938	1078	1202	1340	1482	1610	1741	1881				
120"	909	1067	1233	1393	1553	1727	1886	2044	2213					

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 2 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- | | |
|--|--|
| • Fabric-Wrapped Rail Optionadd \$36 | • Cordless Lift & Lock Premium Headrail Upgrade*add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight) |
| • Top-Down/Bottom-Upadd \$96 | • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$29 |
| • Continuous Cord Loop*add \$66 | • 5' to 10' Cordless Extension Pole #400036-81511\$50 |
| – Top-Down/Bottom-Up*add \$162 | • TriLight Shades – see page 19 and pages 32-36 |
| • Cordless Top-Down/Bottom-Up*add \$96 | • Privacy Light Block\$50 |
| • Cordless Lift & Lock Top-Down/Bottom-Up*add \$96 | |

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.
 NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

Determine the top shade price by using the charts below.
 Add the sheer pleated, bottom shade and control option prices together to determine your final price.

Group A (Trilight)												
• Carousel Sheer (P32) • Lyssa Sheer (P04) • Nova Sheer (P33) • Willa Sheer (P05)												
HEIGHT	WIDTH											
	Trilight	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
	36"	\$91	101	118	126	143	154	166	177	193	215	243
	42"	96	111	126	143	154	166	181	197	208	239	270
	48"	104	118	136	151	166	181	197	212	228	264	299
	54"	111	126	143	162	177	197	212	231	243	283	321
	60"	118	136	154	174	189	208	228	243	267	305	344
	66"	122	143	166	181	204	223	243	264	283	325	369
	72"	126	151	174	193	215	235	258	283	305	350	398
	78"	136	154	177	201	228	250	273	299	321	369	422
	84"	140	166	189	212	235	264	286	312	334	385	440
	90"	146	174	197	223	250	278	302	328	355	410	464
96"	151	177	204	235	264	286	318	344	369	429	487	

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails

CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System
- Cordless Lift System
- Continuous Cord Loopadd \$66
- Bliss Automation - see Automation price grid for surcharge and additional options

OPTIONS: EXTRA CHARGE

- Fabric wrapped rail optionadd \$36
- Privacy Light Block\$50

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

ARCHES	
SoftStyle Light Filtering Single Cell • 9/16" Light Filtering (S11) • 3/4" Light Filtering (S21) • 3/4" Beginnings Light Filtering (S50)	Double Cell • Double Cell Light Filtering (S31)
SoftStyle Blackout Single Cell • 9/16" Blackout (S13) • 3/4" Blackout (S23)	Double Cell • Double Cell Blackout (S32)

WIDTH

ARCHES	24"	30"	36"	42"	48"	54"	60"	66"	72"
Stationary	\$154	174	201	235	267	308	350	403	452
Movable	220	254	289	331	378	437	490	557	622
								9/16", Double Cell and 3/4" Blackout N/A in these sizes	

OPTIONS: EXTRA CHARGE

- **Movable Arch Extension Pole**
(extends 18"-36") Part #24-213 TEP-2L13091.....\$29
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.

OPTIONS: EXTRA CHARGE

- **Angle Cut**.....add \$148
(Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.
(Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

NOTE: Arches are not available with 1-1/4" Pleat and Beginnings Double Cell fabrics.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

SKYLIGHTS	
SoftStyle Light Filtering	
Single Cell	Double Cell
• 9/16" Light Filtering (S11)	• Double Cell Light Filtering (S31)
• 3/4" Light Filtering (S21)	• Beginnings Double Cell Light Filtering (S51)
• 3/4" Beginnings Light Filtering (S50)	
SoftStyle Blackout	
Single Cell	Double Cell
• 9/16" Blackout (S13)	• Double Cell Blackout (S32)
• 3/4" Blackout (S23)	

		WIDTH								
HEIGHT	SKYLIGHTS	24"	30"	36"	42"	48"	54"	60"	66"	72"
	36"	\$366	417	464	522	564	619	667	722	760
	42"	382	440	501	561	615	672	726	774	819
	48"	406	471	534	596	667	722	785	846	891
	54"	437	501	567	634	719	760	846	905	958
	60"	448	534	605	677	777	826	909		
	66"	475	564	640	722	815	877	955		
	72"	498	591	677	760	853	919	1008		

To price a Skylight with either Bliss or Somfy Automation, add the Arch price from the grids on this page to the applicable motorization surcharge.

NOTE: PowerWand is not available in the Skylight configuration

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

GROUP A-SS (VERTICAL APPLICATION)

• SoftStyle 3/4" Light Filtering (S21) • SoftStyle 3/4" Beginnings Light Filtering (S50) - MAX width 120"

WIDTH

GROUP A	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
36"	\$516	557	604	649	691	734	784	824	870	913	955	1035	1112	1190	1254	1328	1433	1540
42"	549	601	649	707	751	797	856	901	951	1002	1042	1125	1202	1292	1364	1458	1571	1687
48"	584	637	698	755	807	859	917	978	1023	1074	1128	1218	1295	1413	1483	1575	1701	1827
54"	613	683	744	807	859	913	972	1028	1081	1133	1190	1277	1381	1487	1580	1674	1806	1941
60"	649	719	791	859	913	972	1035	1092	1148	1205	1264	1372	1483	1593	1684	1798	1944	2087
66"	686	759	832	913	978	1035	1097	1165	1223	1287	1349	1464	1580	1701	1806	1938	2091	2246
72"	726	797	884	968	1032	1092	1153	1238	1295	1361	1428	1563	1680	1810	1927	2063	2230	2393
78"	759	845	934	1011	1074	1137	1205	1292	1353	1428	1494	1637	1767	1900	2026	2168	2344	2512
84"	797	889	978	1060	1133	1202	1277	1361	1428	1511	1580	1734	1871	2012	2138	2297	2481	2666
90"	832	931	1018	1109	1186	1264	1342	1433	1508	1590	1665	1823	1977	2124	2270	2424	2619	2808
96"	870	972	1060	1148	1231	1310	1392	1490	1568	1656	1734	1903	2051	2217	2375	2530	2727	2935
102"	905	1007	1109	1193	1277	1368	1464	1559	1648	1734	1815	1993	2160	2323	2484	2655	2869	3081
108"	940	1047	1148	1243	1334	1425	1529	1637	1721	1815	1900	2091	2260	2436	2607	2788	3014	3237
114"	978	1085	1190	1295	1389	1483	1593	1698	1798	1897	1980	2189	2368	2548	2737	2910	3143	3378
120"	1011	1128	1277	1385	1483	1580	1698	1815	1909	2019	2091	2312	2497	2693	2880	3064	3309	3556

Note: See "Configuration Specifications" charts for any size restrictions.

Group B-SS (Vertical Application)

• SoftStyle 3/4" Blackout (S23)

WIDTH

Group B	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
36"	\$604	649	716	763	813	859	920	972	1023	1074	1121	1214	1310	1392	1468	1563	1684	1810
42"	640	702	763	824	880	937	1002	1060	1117	1176	1227	1320	1413	1519	1604	1709	1846	1984
48"	683	747	821	889	940	1011	1074	1148	1202	1264	1325	1428	1523	1661	1737	1851	1998	2147
54"	719	797	870	947	1011	1074	1141	1205	1271	1328	1392	1501	1624	1743	1857	1964	2124	2280
60"	759	845	931	1011	1074	1141	1214	1277	1353	1417	1483	1610	1740	1871	1984	2114	2287	2455
66"	807	894	978	1070	1145	1214	1287	1368	1433	1515	1580	1725	1860	2001	2124	2274	2452	2634
72"	852	940	1035	1133	1209	1277	1353	1454	1519	1601	1680	1835	1973	2124	2265	2424	2619	2808
78"	894	991	1092	1180	1268	1334	1417	1519	1590	1680	1755	1921	2071	2237	2379	2545	2749	2957
84"	937	1042	1148	1247	1331	1413	1498	1601	1677	1775	1857	2034	2199	2368	2515	2700	2915	3135
90"	978	1092	1196	1295	1392	1483	1575	1684	1770	1863	1953	2142	2318	2497	2663	2847	3074	3305
96"	1018	1137	1243	1349	1445	1540	1642	1750	1842	1947	2034	2237	2414	2611	2788	2973	3207	3447
102"	1060	1180	1295	1401	1498	1607	1716	1827	1938	2037	2128	2344	2536	2732	2919	3122	3373	3627
108"	1109	1231	1349	1458	1568	1677	1798	1917	2022	2131	2237	2455	2660	2866	3064	3276	3539	3805
114"	1148	1277	1396	1519	1627	1740	1871	1998	2111	2230	2326	2570	2785	2996	3218	3422	3698	3976
120"	1180	1325	1498	1624	1737	1857	1993	2128	2246	2368	2462	2718	2939	3163	3383	3602	3884	4182

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Shims (OB)
- Extension brackets

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$63 each
- Two Fabric Combo. Price as two separate shades

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

GROUP C-SS (VERTICAL APPLICATION)

• SoftStyle 1-1/4" Light Filtering (S41)

WIDTH

HEIGHT	GROUP C	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
	36"	\$569	613	665	716	760	808	863	906	958	1004	1050	1139	1224	1309
	42"	604	661	716	777	827	878	941	992	1046	1103	1146	1237	1322	1421
	48"	643	701	768	831	888	945	1010	1076	1125	1182	1242	1341	1425	1553
	54"	675	752	818	888	945	1004	1069	1131	1189	1247	1309	1405	1519	1636
	60"	716	791	870	945	1004	1069	1139	1203	1265	1327	1390	1510	1632	1754
	66"	755	835	916	1004	1076	1139	1206	1283	1346	1416	1484	1611	1737	1872
	72"	800	878	973	1064	1136	1203	1269	1363	1425	1498	1572	1719	1848	1991
	78"	835	930	1027	1111	1182	1250	1327	1421	1489	1572	1644	1801	1943	2090
	84"	878	978	1076	1166	1247	1322	1405	1498	1572	1663	1737	1907	2057	2214
	90"	916	1024	1121	1221	1306	1390	1477	1575	1659	1750	1832	2006	2175	2336
	96"	958	1069	1166	1265	1354	1441	1531	1640	1725	1822	1907	2093	2257	2440
	102"	996	1108	1221	1313	1405	1505	1611	1715	1813	1907	1997	2193	2377	2555
	108"	1035	1152	1265	1368	1468	1568	1683	1801	1895	1997	2090	2300	2486	2680
	114"	1076	1194	1309	1425	1528	1632	1754	1868	1979	2087	2178	2408	2606	2803
	120"	1111	1242	1405	1525	1632	1737	1868	1997	2102	2221	2300	2544	2748	2961

Group D-SS (Vertical Application)

• SoftStyle 1-1/4" Blackout (S43)

WIDTH

HEIGHT	Group D	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
	36"	\$665	716	788	839	895	945	1013	1069	1125	1182	1233	1335	1441	1531
	42"	704	772	839	906	969	1032	1103	1166	1229	1294	1350	1453	1553	1672
	48"	752	822	902	978	1035	1111	1182	1265	1322	1390	1457	1572	1675	1827
	54"	791	878	958	1042	1111	1182	1255	1327	1399	1461	1531	1651	1787	1919
	60"	835	930	1024	1111	1182	1255	1335	1405	1489	1559	1632	1772	1916	2057
	66"	888	983	1076	1179	1259	1335	1416	1505	1575	1666	1737	1898	2046	2201
	72"	938	1035	1139	1247	1330	1405	1489	1600	1672	1760	1848	2019	2171	2336
	78"	983	1089	1203	1297	1395	1468	1559	1672	1750	1848	1931	2113	2278	2461
	84"	1032	1146	1265	1371	1464	1553	1648	1760	1845	1953	2043	2238	2420	2606
	90"	1076	1203	1316	1425	1531	1632	1734	1853	1946	2050	2149	2358	2551	2748
	96"	1121	1250	1368	1484	1590	1695	1806	1925	2027	2142	2238	2461	2656	2872
	102"	1166	1297	1425	1542	1648	1769	1888	2011	2131	2241	2342	2578	2790	3005
	108"	1221	1354	1484	1604	1725	1845	1979	2109	2224	2345	2461	2701	2926	3153
	114"	1265	1405	1536	1672	1791	1916	2057	2198	2323	2453	2558	2827	3064	3296
	120"	1297	1457	1648	1787	1910	2043	2193	2342	2471	2606	2708	2991	3233	3480

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$63 each
- Two Fabric Combo. Price as two separate shades

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

HYBRID PLEAT - LIGHT FILTERING (VERTICAL APPLICATION)

• 2" Hybrid Pleat - Light Filtering (HPF)

WIDTH

HEIGHT	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$607	728	728	771	796	852	881	1031	1070	1143	1200	1395	1572
42"	685	741	756	790	832	874	914	1063	1105	1191	1246	1432	1617
48"	723	765	774	837	914	921	955	1133	1163	1254	1315	1511	1730
54"	750	807	814	874	947	951	990	1171	1211	1295	1353	1564	1767
60"	753	832	832	914	986	990	1022	1204	1246	1344	1420	1635	1848
66"	807	881	885	935	986	1006	1042	1246	1277	1373	1463	1684	1902
72"	827	917	917	976	1001	1054	1095	1312	1340	1463	1551	1767	2002
78"	955	1042	1063	1105	1146	1200	1246	1307	1344	1456	1556	1788	2015
84"	980	1070	1091	1139	1191	1246	1292	1353	1402	1515	1625	1865	2094
90"	1013	1112	1112	1163	1211	1284	1335	1402	1453	1564	1684	1932	2171
96"	1038	1139	1146	1195	1246	1320	1373	1435	1493	1612	1734	1985	2242
108"	1146	1277	1284	1344	1412	1489	1581	1650	1721	1868	2022	2313	2596
120"	1228	1382	1435	1511	1585	1679	1770	1868	1953	2118	2295	2621	2929

Note: Two Fabric combo NOT available with Hybrid Pleat

Hybrid Pleat - Blackout (Vertical Application)

• 2" Hybrid Pleat - Blackout (HPR)

WIDTH

HEIGHT	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$692	735	746	786	814	870	898	1050	1087	1171	1220	1427	1606
42"	709	756	771	807	849	894	927	1091	1129	1211	1267	1460	1655
48"	732	782	790	849	947	955	973	1159	1187	1277	1344	1535	1767
54"	760	827	827	894	976	973	1006	1195	1232	1320	1386	1602	1808
60"	771	849	849	927	1034	1013	1042	1228	1274	1373	1440	1668	1879
66"	818	902	902	951	1038	1034	1067	1277	1304	1405	1489	1716	1941
72"	849	938	938	990	1054	1074	1112	1340	1364	1493	1577	1804	2039
78"	976	1063	1080	1126	1171	1228	1270	1335	1373	1484	1585	1821	2048
84"	1060	1163	1183	1242	1295	1364	1423	1493	1548	1679	1804	2065	2316
90"	1163	1277	1292	1348	1412	1484	1551	1629	1687	1829	1970	2255	2535
96"	1277	1432	1456	1535	1609	1716	1801	1899	1982	2159	2329	2661	2995
108"	1386	1585	1617	1721	1821	1941	2073	2183	2288	2511	2734	3115	3488
120"	1473	1709	1808	1938	2051	2197	2338	2477	2611	2849	3119	3546	3950

Note: Two Fabric combo NOT available with Hybrid Pleat

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Shims (OB)
- Extension brackets

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$63 each
- Two Fabric Combo. Price as two separate shades

 BLISS Automation pricing. [Click here to view.](#)


 Somfy Automation pricing. [Click here to view.](#)

 PowerWand pricing. [Click here to view.](#)

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Uses steel snap-in brackets. Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.




CORDLESS LIFT - SIZE STANDARDS						
	Cellular				2" Hybrid Pleat	1-1/4"
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout	Light Filtering & Blackout
Min. Width (net)	14"	14"	16"	16"	16"	16"
Max. Width	120"	84"	120"	96"	120"	120"
Max. Width - End Mount	48"	48"	48"	48"	42"	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	60	49	60	56	60	60

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP - SIZE STANDARDS						
	Cellular			2" Hybrid Pleat	1-1/4"	1-1/4"
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout	Light Filtering	Blackout
Min. Width (net)	16"	16"	16"	16"	18"	18"
Max. Width	96"	84"	96"	120"	96"	96"
Max. Width - End Mount	48"	48"	48"	42"	N/A	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	56	49	56	60	56	56

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails.

Striker plate & magnet placement:

Shades under 42" Wide - one magnet on each end of the shade

Shades 42" - 78" wide - one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide - one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide - one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE - SIZE STANDARDS						
	Cellular				2" Hybrid Pleat	1-1/4"
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout	Light Filtering & Blackout
Min Width (per panel)	14"	14"	16"	16"	16"	16"
Min Width (overall)	28"	28"	32"	32"	32"	32"
Max Width (per panel)	100"	84"	100"	96"	100"	96"
Max Width (overall)	120"	120"	120"	120"	120"	120"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	60	49	56	56	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE - SIZE STANDARDS					
	Cellular				2" Hybrid Pleat
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout
Min Width (per panel)	14"	14"	16"	16"	16"
Min Width (overall)	42"	42"	48"	48"	48"
Max Width (per panel)	100"	84"	100"	96"	120"
Max Width (overall)	174"	174"	174"	174"	174"
Min Height	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	60	49	60	56	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

Note: 1-1/4" Pleat Fabrics are not available in the 3-on-1 Configuration

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary +/- 1/8".

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non -wrapped rails at **no additional charge. Must be specified** when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

Cordless Lift & Lock not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	– 1/4"	– 1/4"

NOTE: Measurements may vary +/- 1/8".

CORDLESS LIFT & LOCK – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)	10"	10"	10"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Two-on-One			
Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	30"	30"	30"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

NOTE: 2-on-1 or 3-on-1 Headrail is **not available** in **Top-Down/Bottom-Up** or **Trilight** or **End Mount**

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Standard Headrail	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth		1-1/4"	1-1/4"
Minimum mounting depth, flush mount:		2-1/4"	2-1/4"
End (EB) Mount			
Minimum flat vertical surface		2"	2"
Outside (OB) Mount			
Minimum flat vertical surface		1"	1"

	Premium Headrail	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts			
Minimum mounting depth		3/4"	3/4"
Minimum mounting depth, flush mount:		2-1/8"	2-1/8"
Outside (OB) Mount			
Minimum flat vertical surface		1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM





Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.

Continuous Cord Loop not available on 1-1/4" Pleat Fabrics.



SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat*
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top Down/ Bottom Up option for Hybrid Pleat

NOTE: Measurements may vary +/- 1/8".

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary +/- 1/8".

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)*	18"	18"	18"	18"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (per panel)	18"	18"	18"
Min. Width (overall)	36"	36"	36"
Max. Width (per panel)	100"	96"	102"
Max. Width (overall)	120"	120"	120"
Min. Height	12"	12"	12"
Max. Height	120"	120"	120"
Max. Area (sq. ft.)	83	80	60

Note: End mount not available.

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)*	24"	24"	24"	24"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

SMART FACTS



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Light Filtering and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.
- The Bliss Automation option provides safe, simple operation by raising and lowering the shade with the touch of a button or via the Bliss App (Bliss Bridge required). Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
 3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 17-18 to determine your bottom shade price.
 4. Refer to the sheer pleated grids on page 19 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price. Bliss Automation option and options prices can be found in the Bliss Automation pricing section.
- TriLight Shades are available as standard rectangle only.
 - Continuous Cord Loop – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer Pleated		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Carousel Sheer Pleated		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon


Willa Sheer Pleated		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer Pleated		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Nova Sheer	96"	60
Carousel Sheer	96"	60
Willa Sheer	83"	50
Lyssa Sheer	96"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
 - rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric
 - surcharge applies
 - bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	96"	96"	96"
Max. Area (sq. ft.)	64	50	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

NOTE: Inside mount with hold down brackets

deductions: Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 7/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 5/8"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT SYSTEM – SIZE STANDARDS			
	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	16"	16"	16"
Max. Width**	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	56	49	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK – SIZE STANDARDS			
	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat Fabrics
Min. Width (net)	12"	12"	12"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	49	49	49

*Maximum width on Whisper Sheer is 83", all other patterns 84".

TriLight **not available** with 1-1/4" fabrics

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

TriLight option not available on 1-1/4" Pleat Fabrics.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mounts		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – BLISS AUTOMATION



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.



BLISS AUTOMATION – SIZE STANDARDS

	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat	2" Hybrid Pleat
	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Min. Width (net)	30-1/8"	35-1/8"	30-1/8"	35-1/8"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Min. Height	18"	18"	18"	18"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	n/a *	n/a *	n/a	n/a

*See sheer pleated maximum width limitations.

TriLight not available with 1-1/4" fabrics

* **S31 Double Cell** Light Filtering - Max Sq Ft 50

* **S32 Double Cell** Blackout - Max Sq Ft 55

* **S61 Single Cell** Blackout - Max Sq Ft 45

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

SIZE STANDARDS		
	Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width*	18" / 24"	18"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Minimum width for 1-1/4" Pleat is 24"
 - 2) End Mount not available
 - 3) 1-1/4" Pleat is **not available** with Top-Down/Bottom-Up
 - 4) Max height varies by width and fabric type. Refer to chart on page 36
 - 5) Top-Down/Bottom-Up control side + charging port location
The minimum inside mount width is 19" when ordered with hold-down brackets
- Note: Bliss Bottom-Up with external power source has a right side motor position only

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

Adjustments are taken from ordered dimensions.

	1-1/4" Fabrics
Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: 1-1/4" Fabrics are not available with Bliss Top-Down/Bottom-Up

2-on-1 HEADRAIL - SIZE STANDARDS		
	Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20" / 24"	20"
Minimum NET Width (overall)	40" / 48"	40"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144" / 120"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 36
- 2) Minimum panel width for 1-1/4" Pleat is 24" (per panel) and 48" (overall)
- 3) End Mount is **not available**
- 4) TDBU is not available on 2-on-1

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powersource Not Mounted to Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Use a metal tape measure for all measurements.

External Battery - Mounted away from the Headrail

1-1/4" Fabrics

Inside (IB) Mount	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for External Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-Ion= Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.



SIZE STANDARDS					
	Bottom-Up			Top-Down/Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18-1/8"	24"	30"	35"
Maximum Width	120"	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"	18"
Maximum Height	108"	108"	108"	108"	108"

NOTES:

1) Max height varies by width and fabric type. Refer to chart on page 36 & 37

2) End Mount not available

The minimum inside mount width is 19" for single, large and double and 25" for 1-1/4" fabric for when ordered with hold-down brackets

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40"	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTES:

1) Max height varies by width and fabric type. Refer to chart on page 36

2) TDBU is not available on 2-on-1

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular Fabrics	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular Fabrics & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Cellular Fabrics & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell (min width 24")	108"	108"	108"	67"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell (min width 24")	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	67"	60"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

DC = Requires External source of power

Li-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top-Down/Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	66"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	67"	60"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

- 1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 2) Minimum Width for Top-Down/Bottom-Up is **30" Right Side Control & 35" Left Side Control**
Control Side ⇒ Location of Charging Port & Reset Button

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SOMFY AUTOMATION



- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

SOMFY AUTOMATION - SIZE STANDARDS

	Bottom-Up		
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width	18"	18"	24"
Maximum Width	120"	120"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
 - 2) End Mount not available
- The minimum inside mount width is 19" for single, large and double and 25" for 1-1/4" fabric for when ordered with hold-down brackets

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS

	Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) End Mount not available
- 3) Not Available with 1-1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powerwand Not Mounted to Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Power source Not Mounted on Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					75 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	100"	90"
					70 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	93"	84"
					85 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
S31	Softstyle Light Filtering - Double Cell	108"	108"	108"	80"	72"
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	108"	108"
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	108"	108"	73"	66"
					70 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	108"	108"	105"	67"	60"
					55 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"
					55 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	93"	84"
					55 Sq Ft Max - Over 96"	
HPR	2" Hybrid Pleat - Blackout	108"	108"	108"	73"	66"

NOTES:

- 1) 2-on-1 Minimum Panel Width 18"
- 2) 2-on-1 Maximum Width (overall) is 144"
- 3) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND



POWERWAND - SIZE STANDARDS

	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Bottom-Up	21"	24"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

1) PowerWand **not available** with 2" Hybrid Pleat

2) Max height varies by width and fabric type. Refer to chart on page 41

The minimum inside mount width is 22" for single, double and large cellular fabrics and 25" for 1-1/4" fabrics when ordered with hold-down brackets

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand – 2-on-1- SIZE STANDARDS

Two-on-One Headrail

	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Per Panel	24-1/4"	24"
Minimum NET Width - Overall	48-1/2"	48"
Maximum Width - Per Panel	120"	120"
Maximum Width - Overall	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

Powerwand is not available with Hybrid pleat

Max height varies by width and fabric type. Refer to chart on page 41

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Fabrics

Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

3/8", Double Cell, 3/4"

1-1/4"

Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

POWERWAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS						
CODE	SHADE NET WIDTH TO:	21" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	66"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"


NOTES:

- 1) PowerWand is not available with Hybrid Pleat
- 2) PowerWand minimum panel width is 21" for single, double and large, the minimum is 25" for 1-1/4"
- 3) PowerWand 2-on-1 Minimum Panel Width 24-1/4"
- 4) PowerWand 2-on-1 Maximum Width (overall) is 144"
- 5) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted


VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) left stack
 - 2) right stack
 - 3) split stack (center opening)
 - 4) center stack
 - 5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS					
	Cellular		Beginnings	2" Hybrid Pleat	1-1/4" Single Cell
	Large Single Cell Light Filtering	Large Single Cell Blackout	Large Single Cell Light Filtering	Light Filtering & Blackout	Light Filtering & Blackout
Min. Width	12"	12"	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	120"	120"	120"
Max. Width Split Stack	336"	336"	240"	240"	240"
Max. Width Two Fabric Combo	168"	168"	120"	N/A	120"
Min. Height	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Split Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Two Fabric Combo	120/panel	120/panel	100/ panel	100/ panel	100/ panel

NOTE: Vertical Application **not available** with Small Single or Double Cell Cellular fabrics or Subdue Blackout

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White (785)

- Split stack up to 336"
- Two Fabric Combo Shade:
 - Not available for Hybrid Pleat
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different pleat sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns

3/4" Pleat	3-1/4"
1-1/4" Pleat	4"
Hybrid Fabric	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Cellular	Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Valance width	+ 1-1/4"	+ 1-1/4"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount*	1-1/2"	1-1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	1-1/4"	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth	1/2"	1/2"	1/2"
Minimum mounting depth, flush mount:	3-7/8"	4-5/8"	4-3/4"
Outside (OB) Mount			
Minimum flat vertical surface	5/8"	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.
- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS


- All 9/16" Single, Double Cell, and Large Single Subdue Blackout

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount, or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.
- Also refer to vertical application measuring in "General Information" section. NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.
- Cut-outs are not available on 2" Hybrid Pleat.
- For OB Mounting the recommended overlap is 3" – 6".

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.




This easy to operate system holds shades in place.
Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:			WINDOW POSITION:		
Top	Bottom	Side	Vertical	Sloped	Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	18"
Max. Width	60"
Min. Height	12"
Max. Height	72"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	12"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/4"
Outside (OB) Mount	
Rail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

Measurements may vary +/- 1/8".

NOTE: All finished dimensions include side tracks.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Motorized Skylights are different than Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss or Somfy Automation motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding a Battery Extension Cable to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

SKYLIGHT with AUTOMATION - SIZE STANDARDS

	All Cellular Fabrics
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight Automation not available with 2" Hybrid Pleat or 1-1/4" Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- For Skylight Automation the shade must be mounted with the fabric at the top or the highest point in the window.

Bliss or SOMFY Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)


Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat


Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch




MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch




NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large & Small Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2 width	1/2 width

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch



SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)

Height: Measure desired height(s)


Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat




SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat

Non-operable ONLY

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)




Non-operable ONLY

	SoftStyle Light Filtering Fabrics	SoftStyle Blackout Fabrics	SoftStyle Double Cell Fabrics
Minimum Height (L/R)	3"	3"	3"
Maximum Height	84"	72"	84"
Maximum Area (sq ft)	35	35	30
MINIMUM SLOPE WIDTH			
0 - 30 Angle	12	12	12
MAXIMUM SLOPE WIDTH			
0 - 30 Angle	60"	60"	60"

NOTE: Angle Top is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

HEXAGON & OCTAGON (TEMPLATE REQUIRED)




- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"

Non-operable ONLY

SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	30"
Min. Height	8"
Max. Height	30"

*Not available with 2" Hybrid Pleat

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40

Non-operable ONLY

SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	72"
Min. Height	9"
Max. Height	96"

*Not available with 2" Hybrid Pleat

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth	1-7/8"
Outside (OB) Mount	
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

MOUNTING REQUIREMENTS

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES AND QUARTER CIRCLES