

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS
design simplified

SOFTSTYLE SHADES

Pricing effective May 13, 2025 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

[Table of Contents](#)

SUMMARY OF REVISIONS

TABLE OF CONTENTS

• Pattern Information	2
• Color Charts	3-6
• Hardware colors, Stack Chart and Privacy Light Block	6

Pricing for Standard Rectangular, Options, Automation Surcharges

• Pricing and Options – Standard Rectangular	7-16
• 2" Hybrid Pleat	17-18
• TriLight Shades Pricing	19
• Arches Pricing	20
• Skylight Pricing	21
• Vertical Application Pricing	22-24

Rectangular Configuration Specifications

• Cordless Lift	25
• Cordless Lift & Lock™	26
• Continuous Cord Loop	27

TriLight Shades®

• Smart Facts	28
• Selecting a TriLight Shade	28
• Sheer Pleated Color Chart	29
• Configuration Specifications	30-33

Product Configuration Specifications

• Bliss Automation	34-37
• Somfy Automation	38-39
• Powerwand	40-41
• Vertical Application	42-43
• Classic Skylight and Skylight with Automation	44-45
• Arches	46
• Specialty Shapes	47-48

Dealer Sales Guide – With our brand new Dealer Sales Guides, you can gain a comprehensive understanding of our products, including product characteristics and performance expectations. [Click here to explore.](#)

Automation Price Guide – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

Pattern Name		# of Cells	Price Group (Standard)	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions	Hardware Options
Light Filtering - Single Cell								• Continuous Cord Loop System • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System • Cordless Lift System Top-Down/Bottom-Up • Cordless Lift & Lock • Cordless Lift & Lock Top-Down/Bottom-Up • Top-Down • Top-Down/Bottom-Up • Two-On-One Rail • TriLight • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Powerwand • Bliss Automation - Bottom Up - TDBU - TriLight • Somfy Automation - Bottom Up
SoftStyle Beginnings Light Filtering – Large Single Cell	S50	Single	2-SS	1, 2 & 3	Yes	C		
SoftStyle Light Filtering – Small Single Cell	S11	Single	1-SS	1, 2 & 3	Yes	C	Vertical Application	
SoftStyle Light Filtering – Large Single Cell	S21	Single	4-SS	1, 2 & 3	Yes	C		
Light Filtering - Double Cell								
SoftStyle Beginnings Light Filtering – Double Cell	S51	Double	3-SS	1, 2 & 3	Yes	C	Vertical Application, Arches	
SoftStyle Light Filtering – Double Cell	S31	Double	5-SS	1, 2 & 3	Yes	C	Vertical Application	
Blackout - Single Cell								
SoftStyle Blackout – Small Single Cell	S13	Single	6-SS	1 & 3	Yes	D	Vertical Application	
SoftStyle Blackout – Large Single Cell	S23	Single	7-SS	1 & 3	Yes	D		
SoftStyle Subdue Blackout - Large Single Cell	S61	Single	8-SS	1 & 3	Yes	D	Vertical Application	
Blackout - Double Cell								
SoftStyle Blackout – Double Cell	S32	Double	8-SS	1 & 3	Yes	D	Vertical Application	
1-1/4" Cell								
SoftStyle Light Filtering – 1-1/4" Single Cell	S41	Single	9-SS	1, 2 & 3	Yes	C	Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, TriLight	
SoftStyle Blackout – 1-1/4" Single Cell	S43	Single	10-SS	1, 2 & 3	Yes	D	Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, TriLight	
Hybrid Pleat								
2" Hybrid Pleat – Light Filtering	HPF	Single	Hybrid Pleat Light Filtering	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Single	Hybrid Pleat Blackout	1, 2 & 3	Yes	D	Skylight, Arches, Angles, Specialty Shapes, PowerWand	
Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.		Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.			Care Method 3 Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.			
LIGHT CONTROL DEFINITIONS								
A	Sheer - Filtered light for an open, softened view, UV protection and glare reflection, when privacy is not a concern.							
B	Semi-Sheer - Softly diffuses light while offering minimal privacy. Images, shapes and people can be seen with some clarity.							
C	Light Filtering/Translucent - Softly diffuses sunlight and provides a moderate degree of privacy as only shadows will be discernible.							
D	Room Darkening / Blackout -							
	Room Darkening dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible. Blackout fabrics provide the ultimate in light control and privacy; perfect for bedrooms, nurseries, or media rooms. Pair with side channels or privacy light block for additional light control.							

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Light Filtering				
S11	589	Afternoon Light	862	N/A
S11	1553	Birdbath	810	
S11	1556	Caribbean Sky	135	
S11	515	Cavern	841	
S11	510	Celadon	958	
S11	1655	Cloud Cover	885	
S11	581	Coastal Eddy	018	
S11	528	Daisy White	320	
S11	1567	Espresso Bean	849	
S11	1559	Fly Fishing	810	
S11	1658	Foggy Night	405	
S11	524	Gold Treasure	952	
S11	513	Graystone	810	
S11	1656	Gray Wisp	765	
S11	1565	Ground Cloves	960	
S11	1552	Gunnysack	862	
S11	526	Ice Age	862	
S11	1659	Ice Princess	661	
S11	1550	Ice Rink	885	
S11	1654	Imagine	018	
S11	1560	Lava Rock	405	
S11	529	Lemon Frost	674	
S11	500	Marshmallow	661	
S11	1557	Night Blue	450	
S11	1566	Oak Branch	849	
S11	584	Ocean Blue	450	
S11	527	Pale White *	785	
S11	1652	Parchment	885	
S11	1651	Pressed Petals	205	
S11	1564	Redwood	956	
S11	1561	Rock Garden	765	
S11	588	Rocking Chair	083	
S11	517	Rye	630	
S11	1650	Sandcastle	205	
S11	503	Scone	862	
S11	509	Silver Dollar	405	
S11	1653	Snowbank	785	
S11	582	Steel	018	
S11	1657	Stillness	276	
S11	1555	Summer Storm	765	
S11	521	Trail	810	
S11	501	Veil	862	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Light Filtering				
S21	589	Afternoon Light	862	862
S21	1553	Birdbath	810	810
S21	1556	Caribbean Sky	135	661
S21	515	Cavern	841	841
S21	510	Celadon	958	862
S21	1655	Cloud Cover	885	661
S21	581	Coastal Eddy	018	276
S21	528	Daisy White	320	785
S21	1567	Espresso Bean	849	810
S21	1559	Fly Fishing	810	810
S21	1658	Foggy Night	405	276
S21	524	Gold Treasure	952	082
S21	513	Graystone	810	810
S21	1656	Gray Wisp	765	276
S21	1565	Ground Cloves	960	785
S21	1552	Gunnysack	862	862
S21	526	Ice Age	862	862
S21	1659	Ice Princess	661	661
S21	1550	Ice Rink	885	661
S21	1654	Imagine	018	276
S21	1560	Lava Rock	405	276
S21	529	Lemon Frost	674	882
S21	500	Marshmallow	661	661
S21	1557	Night Blue	450	661
S21	1566	Oak Branch	849	810
S21	584	Ocean Blue	450	661
S21	527	Pale White *	785	785
S21	1652	Parchment	885	661
S21	1651	Pressed Petals	205	862
S21	1564	Redwood	956	083
S21	1561	Rock Garden	765	276
S21	588	Rocking Chair	083	083
S21	517	Rye	630	841
S21	1650	Sandcastle	205	862
S21	503	Scone	862	862
S21	509	Silver Dollar	405	276
S21	1653	Snowbank	785	785
S21	582	Steel	018	276
S21	1657	Stillness	276	276
S21	1555	Summer Storm	765	276
S21	521	Trail	810	810
S21	501	Veil	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Light Filtering				
S31	589	Afternoon Light	862	N/A
S31	1553	Birdbath	810	
S31	1556	Caribbean Sky	135	
S31	515	Cavern	841	
S31	510	Celadon	958	
S31	1655	Cloud Cover	885	
S31	581	Coastal Eddy	018	
S31	528	Daisy White	320	
S31	1567	Espresso Bean	849	
S31	1559	Fly Fishing	810	
S31	1658	Foggy Night	405	
S31	524	Gold Treasure	952	
S31	513	Graystone	810	
S31	1656	Gray Wisp	765	
S31	1565	Ground Cloves	960	
S31	1552	Gunnysack	862	
S31	526	Ice Age	862	
S31	1659	Ice Princess	661	
S31	1550	Ice Rink	885	
S31	1654	Imagine	018	
S31	1560	Lava Rock	405	
S31	529	Lemon Frost	674	
S31	500	Marshmallow	661	
S31	1557	Night Blue	450	
S31	1566	Oak Branch	849	
S31	584	Ocean Blue	450	
S31	527	Pale White *	785	
S31	1652	Parchment	885	
S31	1651	Pressed Petals	205	
S31	1564	Redwood	956	
S31	1561	Rock Garden	765	
S31	588	Rocking Chair	083	
S31	517	Rye	630	
S31	1650	Sandcastle	205	
S31	503	Scone	862	
S31	509	Silver Dollar	405	
S31	1653	Snowbank	785	
S31	582	Steel	018	
S31	1657	Stillness	276	
S31	1555	Summer Storm	765	
S31	521	Trail	810	
S31	501	Veil	862	

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
 VA = Vertical application shades

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE			FABRIC			HARDWARE			FABRIC			HARDWARE		
Code	Color #	Color Name	STD	VA		Code	Color #	Color Name	STD	VA		Code	Color #	Color Name	STD	VA	
SMALL SINGLE CELL - Blackout					N/A	LARGE SINGLE CELL - Blackout					N/A	DOUBLE CELL - Blackout					N/A
S13	1743	Birdbath	810			S23	1743	Birdbath	810	810		S32	1743	Birdbath	810		
S13	1855	Cloud Cover	885			S23	1855	Cloud Cover	885	661		S32	1855	Cloud Cover	885		
S13	1856	Cookie Dough	862			S23	1856	Cookie Dough	862	862		S32	1856	Cookie Dough	862		
S13	1747	Espresso Bean	849			S23	1747	Espresso Bean	849	862		S32	1747	Espresso Bean	849		
S13	706	Goose Down	661			S23	706	Goose Down	661	661		S32	706	Goose Down	661		
S13	1748	Gray Gust	018			S23	1748	Gray Gust	018	276		S32	1748	Gray Gust	018		
S13	1744	Ground Pepper	765			S23	1744	Ground Pepper	765	276		S32	1744	Ground Pepper	765		
S13	710	Ice Princess	661			S23	710	Ice Princess	661	661		S32	710	Ice Princess	661		
S13	1854	Imagine	018			S23	1854	Imagine	018	276		S32	1854	Imagine	018		
S13	702	Irish Coffee	862			S23	702	Irish Coffee	862	862		S32	702	Irish Coffee	862		
S13	1750	Night Blue	450			S23	1750	Night Blue	450	661		S32	1750	Night Blue	450		
S13	1784	Ocean Blue	450			S23	1784	Ocean Blue	450	661		S32	1784	Ocean Blue	450		
S13	1851	Parchment	885			S23	1851	Parchment	885	661		S32	1851	Parchment	885		
S13	700	Pebble	361			S23	700	Pebble	361	841		S32	700	Pebble	361		
S13	701	Pitch Black	048			S23	701	Pitch Black	048	048		S32	701	Pitch Black	048		
S13	707	Pristine Palace	862			S23	707	Pristine Palace	862	862		S32	707	Pristine Palace	862		
S13	1745	Red Sand	956			S23	1745	Red Sand	956	083		S32	1745	Red Sand	956		
S13	704	Richwood	849			S23	704	Richwood	849	810		S32	704	Richwood	849		
S13	1853	Rocky Beach	785			S23	1853	Rocky Beach	785	785		S32	1853	Rocky Beach	785		
S13	708	Sand Sculpture	882			S23	708	Sand Sculpture	882	882		S32	708	Sand Sculpture	882		
S13	1746	Sandstone Gray	810			S23	1746	Sandstone Gray	810	810		S32	1746	Sandstone Gray	810		
S13	763	Silver Dollar	405			S23	763	Silver Dollar	405	276		S32	763	Silver Dollar	405		
S13	1852	Snowbank	785			S23	1852	Snowbank	785	785		S32	1852	Snowbank	785		
S13	740	Thunder Cloud	405			S23	740	Thunder Cloud	405	276		S32	740	Thunder Cloud	405		
S13	1850	Vanilla Ice Cream	785			S23	1850	Vanilla Ice Cream	785	785		S32	1850	Vanilla Ice Cream	785		
S13	1857	Weathered Brick	954			S23	1857	Weathered Brick	954	082		S32	1857	Weathered Brick	954		
S13	1858	Woods	405			S23	1858	Woods	405	276		S32	1858	Woods	405		
S13	1742	Yucca Cactus	135			S23	1742	Yucca Cactus	135	785		S32	1742	Yucca Cactus	135		

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Light Filtering				
Where applicable, coordinates with cellular color of the same name				
S41	500	Marshmallow	661	661
S41	1553	Birdbath	810	810
S41	513	Graystone	810	810
S41	581	Coastal Eddy	018	276
S41	582	Steel	018	276
S41	509	Silver Dollar	405	276
S41	527	Pale White (Yellow)	785	785
S41	589	Afternoon Light	862	862
S41	1552	Gunnysack	862	862
S41	1555	Summer Storm	765	276
S41	515	Cavern	841	841
S41	521	Trail	810	810

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Blackout				
Where applicable, coordinates with cellular color of the same name				
S43	7500	Goose Down	661	661
S43	7553	Birdbath	810	810
S43	7610	Ice Princess	661	661
S43	7648	Gray Gust	018	276
S43	7509	Silver Dollar	405	276
S43	7640	Thunder Cloud	405	276

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Light Filtering				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPF	2753	Caribbean Sky	135	661
HPF	715	Cavern	361	862
HPF	2750	Coastal Eddy	018	276
HPF	2852	Foggy Night	405	276
HPF	735	Ice Age	862	862
HPF	2851	Imagine	018	276
HPF	2752	Lava Rock	405	276
HPF	700	Marshmallow	661	661
HPF	727	Pale White *	785	785
HPF	2850	Stillness	276	276
HPF	2751	Summer Storm	765	276
HPF	739	Trail	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPR	2950	Birdbath	810	810
HPR	2978	Cloud Cover	885	661
HPR	2951	Gray Gust	018	276
HPR	910	Ice Princess	661	661
HPR	2974	Imagine	018	276
HPR	919	Sandstone Gray	810	810

NOTE: Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Light Filtering				
S50	537	Boulder	765	276
S50	8501	Whiteboard	661	661
S50	8503	Banana Cream	320	785
S50	531	Merino	661	661
S50	8506	Soapstone	018	276
S50	532	Wafer	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Light Filtering				
S51	537	Boulder	765	N/A
S51	8501	Whiteboard	661	
S51	8503	Banana Cream	320	
S51	531	Merino	661	
S51	8506	Soapstone	018	
S51	532	Wafer	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout				
S61	3744	Birdbath	810	N/A
S61	3741	Goose Down	885	
S61	3745	Gray Gust	018	
S61	3742	Ice Princess	885	
S61	3743	Pristine Palace	661	

CODE KEY:

STD = Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails
 VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

HARDWARE COLOR CHART

Hardware Colors											
		STD	1-1/4"	VA	Cord Tensioner*			STD	1-1/4"	VA	Cord Tensioner*
018	Satin Silver	X	X	N/A	White	674	Bamboo Stalk	X	N/A	N/A	Vanilla
048	Black	X	X	X	black	685	Blue Sky	X	N/A	N/A	White
082	Camel	X	X	X	Light Brown	765	Silver Maple	X	X	N/A	White
083	Cocoa	X	X	X	Light Brown	785	Aspen White	X	X	X	Vanilla
127	Cameo	X	X	N/A	Vanilla	810	Mushroom	X	X	X	Dark Brown
135	Whisper Heather	X	X	N/A	White	841	Dark Blonde	X	X	X	Light Brown
205	Fawn	X	X	N/A	Vanilla	849	Mocha	X	N/A	N/A	Dark Brown
276	Silverado	X	X	X	White	862	Gardenia White	X	X	X	Vanilla
320	Rich Cream	X	N/A	N/A	Vanilla	882	Honey Bisque	X	X	X	Vanilla
361	Tender Taupe	X	X	N/A	Dark Brown	885	Flex White	X	X	N/A	White
405	Gray Flannel	X	X	N/A	Dark Brown	952	Pristine Beach	X	N/A	N/A	Light Brown
450	Skyline	X	X	N/A	White	954	Tranquil Tea	X	N/A	N/A	Light Brown
621	Putty	X	X	N/A	Vanilla	956	Renaissance Clay	X	N/A	N/A	Light Brown
630	Gold Leaf	X	N/A	N/A	Light Brown	958	Velvet Fern	X	N/A	N/A	Vanilla
661	White Tiara	X	X	X	White	960	Terra Cotta Um	X	N/A	N/A	Vanilla
401	Silver Sand	X	X	X	White	180	Dove Gray	X	X	X	Dark Brown

*Effective on Continuous Cord Loop orders placed after 5/14/2024

STACK CHART

Family	48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop
Softstyle Light Filtering - Large Single Cell	1"	1-1/2"	1-3/4"	2-1/2"
Softstyle Light Filtering - Small Single Cell	1-1/8"	2"	2-1/4"	2-7/8"
Softstyle Light Filtering - Double Cell	1-5/8"	2-1/2"	2-5/8"	3-5/8"
Softstyle Light Filtering - 1-1/4" Single Cell (Max Drop 108")	1/2"	3/4"	1"	1-3/8"
Softstyle Blackout - Large Single Cell	7/8"	1-1/4"	1-1/2"	1-1/2"
Softstyle Blackout - Small Single Cell	7/8"	1-1/2"	1-3/4"	2"
Softstyle Blackout - Double Cell	3/4"	1-1/4"	1-1/2"	3"
Softstyle Blackout - 1-1/4" Single Cell (Max Drop 108")	3/4"	1-1/8"	1-1/4"	1-5/8"
Softstyle Subdue Blackout - Large Single Cell	1-1/2"	2"	2-1/8"	2-1/2"
Softstyle Beginnings Light Filtering - Large Single Cell	1"	1"	1-1/4"	1-3/4"
Softstyle Beginnings Light Filtering - Double Cell	1-1/8"	1-7/8"	2"	2-1/2"
2" Hybrid Pleat - Light Filtering	3/4"	1-1/8"	1-1/2"	1-3/4"
2" Hybrid Pleat - Blackout	1"	1-1/4"	1-3/4"	2-1/8"

Hardware System

Rail heights to be added to the above

Lift & Lock - Deluxe Headrail	1-1/2"
Lift & Lock - Premium Headrail	2-1/2"
Continuous Cord Loop, Cordless, Motorized	2"
1-1/4" Cordless, Motorized	2"

PRIVACY LIGHT BLOCK


Privacy Light Block

- Available in 5 colors: White, Gray, Vanilla, Bronze and Black
- Inside Mount Only

Surcharge applies; refer to price grids section.

Shade Deductions:

- If Privacy Light Block is selected – 1/2", in addition to the 1/4" for IB Only
- Available on Cordless, Lift & Lock, Powerwand, Bliss Automation and Somfy Automation



GROUP 1-SS

• SoftStyle 9/16" Light Filtering (S11)

WIDTH

GROUP 1	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$164	182	210	230	255	280	302	323	346	393	446	494	546
42"	175	196	227	255	280	302	331	355	377	434	490	546	601
48"	187	219	243	270	302	331	358	390	418	473	538	596	660
54"	196	227	259	290	323	355	386	422	450	518	587	648	720
60"	210	238	280	312	346	377	411	450	487	562	628	705	772
66"	227	255	296	331	366	406	442	482	521	596	678	751	833
72"	230	265	312	352	393	431	473	513	551	637	726	805	891
78"	243	283	326	366	418	459	500	542	590	678	764	857	949
84"	255	296	341	390	434	473	521	570	616	708	805	900	999
90"	262	312	358	406	459	506	551	601	648	751	853	953	1053
96"	270	319	374	428	473	525	577	628	681	788	896	999	1107
108"	296	352	403	462	521	573	628	689	748	864	980	1095	1215
120"	315	374	442	500	566	625	689	751	811	937	1069	1195	1309

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Lift System* Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 2-SS

• SoftStyle 3/4" Beginnings Light Filtering (S50)

WIDTH

HEIGHT	GROUP 2	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		\$179	205	232	256	284	303	328	357	379	433	489	541	595
42"		197	220	251	284	314	337	368	395	430	484	545	604	670
48"		205	236	266	300	333	363	395	430	461	524	592	655	724
54"		211	248	284	321	357	387	424	457	492	565	635	709	786
60"		232	266	308	340	379	420	457	496	537	617	692	773	854
66"		248	288	325	368	414	452	496	537	580	670	752	837	924
72"		260	297	340	387	437	475	521	569	617	705	795	888	981
78"		278	321	368	420	468	512	565	617	670	764	865	964	1070
84"		288	337	387	440	496	545	598	652	705	810	918	1024	1137
90"		300	354	409	468	524	576	631	688	748	862	974	1084	1205
96"		314	368	430	489	549	604	663	724	783	904	1028	1145	1269
108"		337	395	468	531	598	658	724	792	858	988	1118	1253	1389
120"		368	437	509	580	658	730	801	876	945	1093	1240	1389	1537

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$38
 - **Cordless Lift Top-Down/Bottom-Up**add \$100
 - **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
 - **5' to 10' Cordless Extension Pole #400036-81511**\$52
 - **TriLight Shades** – see page 19 and pages 32-36
 - **Angle Cut**add \$154
 - **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 3-SS

• SoftStyle Beginnings Double Cell Light Filtering (S51)

WIDTH

HEIGHT	GROUP 3	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		\$180	201	230	255	279	301	330	355	380	432	485	535	594
42"		191	220	246	279	304	339	363	393	424	482	543	602	664
48"		206	238	272	301	334	363	393	424	459	522	590	656	718
54"		217	246	279	318	355	389	424	456	490	565	636	707	781
60"		235	267	304	342	380	417	456	497	535	615	688	770	848
66"		242	284	327	363	409	453	493	535	578	664	753	831	925
72"		259	297	342	389	435	477	519	565	615	704	799	885	979
78"		272	318	369	417	469	514	565	615	664	762	867	961	1066
84"		284	334	389	442	493	543	599	647	704	802	915	1020	1132
90"		301	352	409	464	522	574	631	684	743	857	969	1083	1199
96"		311	363	424	485	546	602	659	718	781	904	1024	1143	1268
108"		334	393	464	525	599	656	718	788	857	983	1118	1251	1383
120"		363	435	511	581	656	723	799	870	945	1086	1232	1383	1535

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Cordless Lift Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #40036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 4-SS

• SoftStyle 3/4" Light Filtering (S21)

WIDTH

HEIGHT	GROUP 4	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		\$217	242	276	304	339	363	393	427	456	519	590	647	715
42"		235	262	301	339	372	405	438	477	511	581	652	723	799
48"		242	284	322	363	401	435	477	511	551	631	712	788	870
54"		259	297	342	380	427	464	511	546	594	674	766	848	945
60"		279	322	369	409	456	502	546	599	644	740	831	929	1020
66"		297	342	389	442	493	543	594	644	693	799	904	1008	1106
72"		311	355	409	464	522	574	623	680	740	845	958	1066	1175
78"		330	380	442	502	565	615	677	740	799	915	1038	1159	1280
84"		342	401	464	532	594	652	718	781	845	969	1100	1229	1364
90"		359	424	490	561	631	688	757	821	896	1033	1167	1306	1447
96"		372	442	511	586	659	723	799	867	940	1086	1232	1375	1522
108"		401	477	561	636	718	796	867	948	1033	1188	1343	1505	1669
120"		442	522	610	704	788	874	961	1048	1132	1313	1489	1669	1845

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$38
 - **Cordless Lift Top-Down/Bottom-Up**add \$100
 - **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
 - **5' to 10' Cordless Extension Pole #400036-81511**\$52
 - **TriLight Shades** – see page 19 and pages 32-36
 - **Angle Cut**add \$154
 - **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 5-SS

• SoftStyle Double Cell Light Filtering (S31)

WIDTH

HEIGHT	GROUP 5	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"		\$230	255	294	327	359	385	417	453	482	546	623	684	757
42"		246	279	315	359	389	432	459	502	539	615	688	766	848
48"		259	301	342	380	424	459	502	539	590	664	748	838	921
54"		272	311	363	405	453	497	539	581	623	715	810	901	1001
60"		297	339	389	438	485	535	581	631	680	781	878	979	1083
66"		311	363	412	464	522	574	631	680	740	845	958	1062	1175
72"		330	380	438	497	551	606	664	718	781	896	1017	1132	1251
78"		348	405	469	532	599	652	718	781	845	969	1100	1229	1360
84"		363	427	497	565	631	688	762	821	896	1029	1167	1306	1447
90"		380	450	519	594	664	737	802	874	948	1095	1238	1379	1535
96"		393	464	539	620	700	766	845	921	1001	1150	1310	1459	1616
108"		427	502	594	674	762	838	921	1008	1091	1259	1423	1594	1764
120"		464	551	647	740	838	929	1017	1118	1205	1389	1575	1764	1956

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - **Two-On-One Headrail** price as 2 separate shades
 - **Three-On-One Headrail** price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Cordless Lift Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - **Top-Down/Bottom-Up***add \$169
- **Cordless Lift Top-Down/Bottom-Up**\$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 6-SS

• SoftStyle 9/16" Blackout (S13)

WIDTH

GROUP 6	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$219	243	277	302	335	361	393	428	459	521	587	648	720
42"	230	259	296	331	361	403	431	466	506	577	648	726	801
48"	255	287	326	366	403	446	482	525	566	648	737	816	907
54"	265	302	352	393	437	482	521	570	616	708	801	896	991
60"	290	323	374	428	466	518	562	616	667	764	864	969	1069
66"	302	346	393	450	506	551	601	655	712	816	933	1043	1154
72"	323	366	428	487	542	596	648	712	769	887	1012	1131	1253
78"	338	390	450	509	573	632	694	761	816	944	1079	1208	1338
84"	355	406	473	542	601	670	730	801	864	1004	1139	1274	1414
90"	374	431	506	570	642	712	779	857	929	1072	1219	1365	1518
96"	390	450	525	596	678	748	816	896	972	1126	1285	1440	1601
108"	418	490	573	655	741	826	900	991	1072	1240	1414	1590	1769
120"	450	528	622	712	826	891	983	1079	1167	1355	1545	1741	1924

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Cordless Lift Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Lift Top-Down/Bottom-Up**\$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 7-SS

• SoftStyle 3/4" Blackout (S23)

WIDTH

GROUP 7	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$261	290	331	364	403	441	477	512	552	629	706	783	871
42"	284	314	361	399	441	485	519	564	610	699	783	875	968
48"	306	347	395	441	485	534	585	632	686	779	885	986	1098
54"	327	364	422	477	531	580	632	690	744	853	968	1076	1196
60"	354	387	449	512	564	626	676	744	802	922	1044	1167	1291
66"	364	414	477	541	607	665	726	796	856	986	1123	1261	1393
72"	387	445	512	585	652	723	783	864	925	1073	1225	1364	1517
78"	414	470	541	616	690	763	837	918	986	1140	1302	1453	1612
84"	428	491	572	652	730	802	882	968	1044	1212	1376	1537	1711
90"	449	519	610	690	776	861	942	1034	1123	1299	1469	1654	1833
96"	470	541	632	723	817	903	986	1080	1176	1360	1556	1743	1935
108"	502	588	690	792	894	993	1087	1196	1294	1498	1707	1919	2136
120"	541	637	751	856	997	1073	1186	1306	1412	1636	1867	2099	2324

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Cordless Lift Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Lift Top-Down/Bottom-Up**\$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 8-SS

• SoftStyle Double Cell Blackout (S32) • SoftStyle Subdue 3/4" Single Cell Blackout (S61)

WIDTH

GROUP 8	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$268	297	339	370	414	449	491	526	564	643	726	802	894
42"	290	323	367	414	449	499	534	580	629	719	802	899	993
48"	314	354	407	454	502	552	596	647	702	802	910	1013	1127
54"	334	375	432	491	547	592	647	706	763	879	993	1106	1229
60"	364	399	466	526	580	640	699	763	826	945	1073	1199	1327
66"	375	428	491	556	626	686	748	817	882	1013	1154	1294	1429
72"	399	454	526	601	668	738	802	885	952	1103	1254	1399	1556
78"	422	477	556	632	711	783	856	939	1013	1172	1338	1495	1657
84"	438	502	588	668	748	829	906	993	1073	1245	1412	1579	1754
90"	466	534	629	706	796	882	968	1060	1147	1332	1509	1696	1881
96"	477	556	647	744	837	925	1013	1111	1209	1396	1596	1788	1984
108"	519	604	711	811	918	1019	1115	1229	1327	1537	1749	1968	2193
120"	556	659	770	882	1023	1106	1221	1338	1449	1678	1913	2150	2388

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 26 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Cordless Lift Top-Down/Bottom-Up**add \$100
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Lift Top-Down/Bottom-Up**.....\$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #40036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Angle Cut**add \$154
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

GROUP 9-SS

- 1-1/4" Softstyle Light Filtering

WIDTH

HEIGHT

GROUP 9	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$250	278	317	350	390	418	452	491	524	596	678	744	822
42"	270	301	347	390	428	466	504	549	588	668	750	832	918
48"	278	326	370	418	461	500	549	588	634	726	819	907	1001
54"	298	341	394	436	491	534	588	629	683	775	881	976	1086
60"	320	370	425	470	524	577	629	689	740	851	955	1068	1174
66"	341	394	446	509	566	625	683	740	797	918	1039	1158	1272
72"	358	408	470	534	600	660	715	783	851	972	1103	1225	1351
78"	380	436	509	577	649	708	779	851	918	1053	1193	1332	
84"	394	461	534	611	683	750	827	899	972	1114	1264	1414	
90"	412	487	563	644	726	791	870	944	1030	1187	1343		
96"	428	509	588	673	758	832	918	997	1081	1249			
108"	461	549	644	732	827	915	997	1090					

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$38
 - Cordless Top-Down/Bottom-Up*add \$100
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$31
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$52
 - Privacy Light Block\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 10-SS

- 1-1/4" Softstyle Blackout

WIDTH

HEIGHT

GROUP 10	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$300	333	381	418	463	508	549	590	634	723	811	900	1001
42"	326	361	415	460	508	558	597	648	702	803	900	1006	1113
48"	353	399	455	508	558	613	672	727	789	897	1018	1135	1263
54"	375	418	485	549	610	667	727	794	855	981	1113	1238	1377
60"	407	444	515	590	648	719	777	855	922	1060	1200	1343	1484
66"	418	475	549	623	699	764	835	915	985	1135	1291	1450	1602
72"	444	511	590	672	750	831	900	993	1064	1234	1409	1569	1744
78"	475	541	623	708	794	877	963	1055	1135	1311	1497	1671	
84"	492	564	658	750	840	922	1014	1113	1200	1393	1582	1768	
90"	515	597	702	794	892	990	1083	1189	1291	1494	1690		
96"	541	623	727	831	940	1039	1135	1242	1352				
108"	577	675	794	910	1027	1142	1250	1377					

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override- see Hardware Color Chart on page 4 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$38
- Cordless Top-Down/Bottom-Up*add \$100
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$31
- 5' to 10' Cordless Extension Pole #400036-81511.....\$52
- Privacy Light Block.....\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

HYBRID PLEAT (LIGHT FILTERING)

• 2" Hybrid Pleat - Light Filtering

WIDTH

HEIGHT

	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$291	330	354	392	420	453	482	577	605	669	735	874	1019
42"	316	343	371	409	438	477	506	610	643	713	779	934	1085
48"	323	356	389	432	491	502	533	640	677	754	820	995	1146
54"	337	367	399	450	502	520	558	674	713	798	874	1040	1211
60"	345	385	420	470	533	554	583	713	750	846	930	1100	1279
66"	371	412	450	491	537	572	610	744	782	878	971	1155	1343
72"	383	426	459	506	549	601	643	779	820	934	1023	1214	
78"	442	495	544	592	643	702	754	805	857	964	1064	1269	
84"	456	506	558	614	669	735	782	839	896	1005	1117		
90"	470	526	577	636	689	758	814	874	934	1053	1163		
96"	482	538	601	656	716	782	843	908	967	1091	1197		
108"	527	599	669	741	814	896	967	1037	1112				
120"	577	661	741	820	908	1002	1085	1173	1253				

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.

COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

HYBRID PLEAT (BLACKOUT)

• 2" Hybrid Pleat - Blackout

WIDTH

HEIGHT

	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$369	400	438	478	510	552	587	703	740	818	894	1073	1253
42"	386	420	454	503	537	587	622	745	782	871	952	1145	1327
48"	394	436	470	529	563	616	652	782	827	922	1012	1211	1410
54"	410	452	495	544	591	640	685	822	871	978	1073	1277	1486
60"	428	468	507	574	622	672	713	871	919	1037	1136	1352	1567
66"	454	509	544	596	640	703	750	907	972	1080	1189	1420	1644
72"	466	520	563	622	668	732	782	952	1012	1145	1253	1492	
78"	540	605	668	727	791	864	922	985	1048	1185	1311	1557	
84"	587	659	732	807	879	972	1037	1111	1185	1335	1486		
90"	643	725	807	882	972	1059	1140	1218	1306	1471	1634		
96"	703	809	907	1012	1115	1230	1327	1435	1538	1750			
108"	837	967	1111	1239	1381	1527	1659	1794	1938				
120"	937	1100	1270	1435	1600	1779	1943	2106	2280				

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up)
- **Cordless Lift & Lock**
 - Two-On-One Headrail price as 2 separate shades
 - Three-On-One Headrail price as 3 separate shades
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$38
- **Continuous Cord Loop***add \$69
 - Top-Down/Bottom-Up*add \$169
- **Cordless Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Top-Down/Bottom-Up***add \$100
- **Cordless Lift & Lock Premium Headrail Upgrade***add \$23 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$31
- **5' to 10' Cordless Extension Pole #400036-81511**\$52
- **TriLight Shades** – see page 19 and pages 32-36
- **Privacy Light Block**\$52

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.
 NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

Determine the top shade price by using the charts below.
Add the sheer pleated, bottom shade and control option prices together to determine your final price.

GROUP A (TRILIGHT)												
• Carousel Sheer (P32) • Lyssa Sheer (P04) • Nova Sheer (P33) • Willa Sheer (P05)												
WIDTH												
HEIGHT	TRILIGHT	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
	36"	\$95	106	123	132	149	161	173	185	201	224	253
	42"	100	116	132	149	161	173	189	205	217	249	281
	48"	109	123	142	158	173	189	205	221	238	275	311
	54"	116	132	149	169	185	205	221	241	253	295	334
	60"	123	142	161	181	197	217	238	253	278	318	358
	66"	127	149	173	189	213	232	253	275	295	338	384
	72"	132	158	181	201	224	245	269	295	318	364	414
	78"	142	161	185	210	238	260	284	311	334	384	439
	84"	146	173	197	221	245	275	298	325	348	401	458
	90"	152	181	205	232	260	290	315	342	370	427	483
	96"	158	185	213	245	275	298	331	358	384	447	507

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails

CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System
- Cordless Lift System
- Continuous Cord Loopadd \$69
- Bliss Automation - see Automation price grid for surcharge and additional options

OPTIONS: EXTRA CHARGE

- Fabric wrapped rail optionadd \$38
- Privacy Light Block\$52

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

ARCHES	
SoftStyle Light Filtering Single Cell • 9/16" Light Filtering (S11) • 3/4" Light Filtering (S21) • 3/4" Beginnings Light Filtering (S50)	Double Cell • Double Cell Light Filtering (S31)
SoftStyle Blackout Single Cell • 9/16" Blackout (S13) • 3/4" Blackout (S23)	Double Cell • Double Cell Blackout (S32)

WIDTH

ARCHES	24"	30"	36"	42"	48"	54"	60"	66"	72"
Stationary	\$159	180	208	243	276	318	361	416	466
Movable	227	262	298	341	390	451	505	574	641

9/16", Double Cell
 and 3/4" Blackout
 N/A in these sizes

OPTIONS: EXTRA CHARGE

- Arch and Elliptical Arch – price using width on Arch price charts for fabric desired.

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$154
(Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.
(Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

NOTE: Arches are not available with 1-1/4" Pleat and Beginnings Double Cell fabrics.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

SKYLIGHTS	
SoftStyle Light Filtering	
Single Cell	Double Cell
• 9/16" Light Filtering (S11)	• Double Cell Light Filtering (S31)
• 3/4" Light Filtering (S21)	• Beginnings Double Cell Light Filtering (S51)
• 3/4" Beginnings Light Filtering (S50)	
SoftStyle Blackout	
Single Cell	Double Cell
• 9/16" Blackout (S13)	• Double Cell Blackout (S32)
• 3/4" Blackout (S23)	

		WIDTH								
HEIGHT	SKYLIGHTS	24"	30"	36"	42"	48"	54"	60"	66"	72"
	36"	\$377	430	478	538	581	638	688	744	783
	42"	394	454	517	578	634	693	748	798	844
	48"	419	486	551	614	688	744	809	872	918
	54"	451	517	585	654	741	783	872	933	987
	60"	462	551	624	698	801	851	937		
	66"	490	581	660	744	840	904	984		
	72"	513	609	698	783	879	947	1039		

To price a Skylight with either Bliss or Somfy Automation, add the Arch price from the grids on this page to the applicable motorization surcharge.

NOTE: PowerWand is not available in the Skylight configuration

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

GROUP A-SS (VERTICAL APPLICATION)

• SoftStyle 3/4" Light Filtering (S21) • SoftStyle 3/4" Beginnings Light Filtering (S50) - MAX width 120"

WIDTH

HEIGHT	GROUP A	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
36"	\$532	574	623	669	712	757	808	849	897	941	984	1067	1146	1226	1292	1368	1476	1587	
42"	566	620	669	729	774	821	882	929	980	1033	1074	1159	1239	1331	1405	1502	1619	1738	
48"	602	657	719	778	832	885	945	1008	1054	1107	1162	1255	1334	1456	1528	1623	1753	1882	
54"	632	704	767	832	885	941	1002	1059	1114	1167	1226	1316	1423	1532	1628	1725	1861	2000	
60"	669	741	815	885	941	1002	1067	1125	1183	1242	1302	1414	1528	1641	1735	1852	2003	2150	
66"	707	782	857	941	1008	1067	1130	1200	1260	1326	1390	1508	1628	1753	1861	1997	2154	2314	
72"	748	821	911	998	1063	1125	1188	1276	1334	1402	1471	1610	1731	1865	1985	2125	2297	2465	
78"	782	871	963	1042	1107	1172	1242	1331	1394	1471	1539	1687	1821	1957	2087	2234	2415	2588	
84"	821	916	1008	1092	1167	1239	1316	1402	1471	1557	1628	1787	1928	2073	2203	2366	2556	2746	
90"	857	959	1049	1143	1222	1302	1383	1476	1554	1638	1715	1878	2037	2188	2339	2497	2698	2893	
96"	897	1002	1092	1183	1268	1350	1434	1535	1616	1706	1787	1961	2113	2284	2447	2606	2809	3024	
102"	933	1038	1143	1229	1316	1410	1508	1606	1698	1787	1870	2053	2225	2393	2559	2735	2956	3174	
108"	969	1079	1183	1281	1375	1468	1575	1687	1773	1870	1957	2154	2328	2510	2686	2872	3105	3335	
114"	1008	1118	1226	1334	1431	1528	1641	1749	1852	1954	2040	2255	2440	2625	2820	2998	3238	3480	
120"	1042	1162	1316	1427	1528	1628	1749	1870	1967	2080	2154	2382	2572	2774	2967	3156	3409	3663	

Note: See "Configuration Specifications" charts for any size restrictions.

GROUP B-SS (VERTICAL APPLICATION)

• SoftStyle 3/4" Blackout (S23)

WIDTH

HEIGHT	GROUP B	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
36"	\$623	669	738	786	838	885	948	1002	1054	1107	1155	1251	1350	1434	1513	1610	1735	1865	
42"	660	724	786	849	907	966	1033	1092	1151	1212	1264	1360	1456	1565	1653	1761	1902	2044	
48"	704	770	846	916	969	1042	1107	1183	1239	1302	1365	1471	1569	1711	1790	1907	2058	2212	
54"	741	821	897	976	1042	1107	1176	1242	1310	1368	1434	1547	1673	1796	1913	2023	2188	2349	
60"	782	871	959	1042	1107	1176	1251	1316	1394	1460	1528	1659	1793	1928	2044	2178	2356	2529	
66"	832	921	1008	1103	1180	1251	1326	1410	1476	1561	1628	1777	1916	2062	2188	2343	2526	2714	
72"	878	969	1067	1167	1246	1316	1394	1498	1565	1650	1731	1891	2033	2188	2333	2497	2698	2893	
78"	921	1021	1125	1216	1307	1375	1460	1565	1638	1731	1808	1979	2134	2305	2451	2622	2832	3046	
84"	966	1074	1183	1285	1371	1456	1543	1650	1728	1829	1913	2096	2265	2440	2591	2781	3003	3230	
90"	1008	1125	1232	1334	1434	1528	1623	1735	1824	1919	2012	2207	2388	2572	2743	2933	3167	3405	
96"	1049	1172	1281	1390	1489	1587	1692	1803	1898	2006	2096	2305	2487	2690	2872	3063	3304	3551	
102"	1092	1216	1334	1444	1543	1656	1768	1882	1997	2099	2192	2415	2613	2814	3007	3216	3475	3736	
108"	1143	1268	1390	1502	1616	1728	1852	1975	2083	2195	2305	2529	2740	2952	3156	3375	3646	3920	
114"	1183	1316	1438	1565	1676	1793	1928	2058	2175	2297	2396	2648	2869	3086	3315	3525	3809	4096	
120"	1216	1365	1543	1673	1790	1913	2053	2192	2314	2440	2536	2800	3028	3258	3485	3711	4001	4308	

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Shims (OB)
- Extension brackets

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$66 each
- Two Fabric Combo. Price as two separate shades

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP C-SS (VERTICAL APPLICATION)

• SoftStyle 1-1/4" Light Filtering (S41)

WIDTH

GROUP C	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
36"	\$587	632	685	738	783	833	889	934	987	1035	1082	1174	1261	1349
42"	623	681	738	801	852	905	970	1022	1078	1137	1181	1275	1362	1464
48"	663	723	792	856	915	974	1041	1109	1159	1218	1280	1382	1468	1600
54"	696	775	843	915	974	1035	1102	1165	1225	1285	1349	1448	1565	1686
60"	738	815	897	974	1035	1102	1174	1240	1303	1367	1432	1556	1681	1807
66"	778	861	944	1035	1109	1174	1243	1322	1387	1459	1529	1660	1790	1929
72"	824	905	1003	1096	1171	1240	1308	1404	1468	1543	1620	1771	1904	2051
78"	861	958	1058	1145	1218	1288	1367	1464	1534	1620	1694	1856	2002	2153
84"	905	1008	1109	1201	1285	1362	1448	1543	1620	1713	1790	1965	2119	2281
90"	944	1055	1155	1258	1346	1432	1522	1623	1709	1803	1887	2067	2241	2407
96"	987	1102	1201	1303	1395	1485	1577	1690	1777	1877	1965	2156	2325	2514
102"	1026	1142	1258	1353	1448	1551	1660	1767	1868	1965	2057	2259	2449	2632
108"	1067	1187	1303	1410	1513	1616	1734	1856	1952	2057	2153	2369	2561	2761
114"	1109	1230	1349	1468	1574	1681	1807	1925	2039	2150	2244	2481	2685	2888
120"	1145	1280	1448	1571	1681	1790	1925	2057	2166	2288	2369	2621	2831	3050

GROUP D-SS (VERTICAL APPLICATION)

• SoftStyle 1-1/4" Blackout (S43)

WIDTH

GROUP D	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
36"	\$685	738	812	865	922	974	1044	1102	1159	1218	1270	1376	1485	1577
42"	726	796	865	934	999	1063	1137	1201	1266	1333	1391	1497	1600	1723
48"	775	847	930	1008	1067	1145	1218	1303	1362	1432	1501	1620	1726	1882
54"	815	905	987	1074	1145	1218	1293	1367	1441	1505	1577	1701	1841	1977
60"	861	958	1055	1145	1218	1293	1376	1448	1534	1606	1681	1826	1974	2119
66"	915	1013	1109	1215	1297	1376	1459	1551	1623	1716	1790	1955	2108	2268
72"	967	1067	1174	1285	1370	1448	1534	1648	1723	1813	1904	2080	2237	2407
78"	1013	1122	1240	1336	1437	1513	1606	1723	1803	1904	1989	2177	2347	2535
84"	1063	1181	1303	1413	1508	1600	1698	1813	1901	2012	2105	2306	2493	2685
90"	1109	1240	1356	1468	1577	1681	1787	1909	2005	2112	2214	2429	2628	2831
96"	1155	1288	1410	1529	1638	1746	1861	1983	2088	2207	2306	2535	2736	2959
102"	1201	1336	1468	1589	1698	1823	1945	2072	2195	2309	2413	2656	2874	3096
108"	1258	1395	1529	1653	1777	1901	2039	2173	2291	2416	2535	2783	3014	3248
114"	1303	1448	1583	1723	1845	1974	2119	2264	2393	2527	2635	2912	3156	3395
120"	1336	1501	1698	1841	1968	2105	2259	2413	2546	2685	2790	3081	3330	3585

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$66 each
- Two Fabric Combo. Price as two separate shades

BLISS Automation pricing. [Click here to view.](#)Somfy Automation pricing. [Click here to view.](#)PowerWand pricing. [Click here to view.](#)

HYBRID PLEAT - LIGHT FILTERING (VERTICAL APPLICATION)

• 2" Hybrid Pleat - Light Filtering (HPF)

WIDTH

HEIGHT	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$626	750	750	795	820	878	908	1062	1103	1178	1236	1437	1620
42"	706	764	779	814	857	901	942	1095	1139	1227	1284	1475	1666
48"	745	788	798	863	942	949	984	1167	1198	1292	1355	1557	1782
54"	773	832	839	901	976	980	1020	1207	1248	1334	1394	1611	1821
60"	776	857	857	942	1016	1020	1053	1241	1284	1385	1463	1685	1904
66"	832	908	912	964	1016	1037	1074	1284	1316	1415	1507	1735	1960
72"	852	945	945	1006	1032	1086	1128	1352	1381	1507	1598	1821	2063
78"	984	1074	1095	1139	1181	1236	1284	1347	1385	1500	1603	1842	2076
84"	1010	1103	1124	1174	1227	1284	1331	1394	1445	1561	1674	1921	2157
90"	1044	1146	1146	1198	1248	1323	1376	1445	1497	1611	1735	1990	2237
96"	1070	1174	1181	1231	1284	1360	1415	1479	1538	1661	1787	2045	2310
108"	1181	1316	1323	1385	1455	1534	1629	1700	1773	1925	2083	2383	2674
120"	1265	1424	1479	1557	1633	1730	1824	1925	2012	2182	2364	2700	3017

Note: Two Fabric combo NOT available with Hybrid Pleat

HYBRID PLEAT - BLACKOUT (VERTICAL APPLICATION)

• 2" Hybrid Pleat - Blackout (HPR)

WIDTH

HEIGHT	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$713	758	769	810	839	897	925	1082	1120	1207	1257	1470	1655
42"	731	779	795	832	875	921	955	1124	1163	1248	1306	1504	1705
48"	754	806	814	875	976	984	1003	1194	1223	1316	1385	1582	1821
54"	783	852	852	921	1006	1003	1037	1231	1269	1360	1428	1651	1863
60"	795	875	875	955	1066	1044	1074	1265	1313	1415	1484	1719	1936
66"	843	930	930	980	1070	1066	1100	1316	1344	1448	1534	1768	2000
72"	875	967	967	1020	1086	1107	1146	1381	1405	1538	1625	1859	2101
78"	1006	1095	1113	1160	1207	1265	1309	1376	1415	1529	1633	1876	2110
84"	1092	1198	1219	1280	1334	1405	1466	1538	1595	1730	1859	2127	2386
90"	1198	1316	1331	1389	1455	1529	1598	1678	1738	1884	2030	2323	2612
96"	1316	1475	1500	1582	1658	1768	1856	1956	2042	2224	2399	2741	3085
108"	1428	1633	1666	1773	1876	2000	2136	2249	2357	2587	2817	3209	3593
120"	1518	1761	1863	1997	2113	2263	2409	2552	2690	2935	3213	3653	4069

Note: Two Fabric combo NOT available with Hybrid Pleat

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Shims (OB)
- Extension brackets

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening) Price as two separate shades
- Center Stack add \$66 each
- Two Fabric Combo. Price as two separate shades

 BLISS Automation pricing. [Click here to view.](#)


 Somfy Automation pricing. [Click here to view.](#)

 PowerWand pricing. [Click here to view.](#)

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Uses steel snap-in brackets. Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.




CORDLESS LIFT - SIZE STANDARDS						
	Cellular				2" Hybrid Pleat	1-1/4"
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout	Light Filtering & Blackout
Min. Width (net)	14"	14"	16"	16"	16"	16"
Max. Width	120"	84"	120"	96"	120"	120"
Max. Width - End Mount	48"	48"	48"	48"	42"	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	60	49	60	56	60	60

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP - SIZE STANDARDS						
	Cellular			2" Hybrid Pleat	1-1/4"	1-1/4"
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout	Light Filtering	Blackout
Min. Width (net)	16"	16"	16"	16"	18"	18"
Max. Width	96"	84"	96"	120"	96"	96"
Max. Width - End Mount	48"	48"	48"	42"	N/A	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	56	49	56	60	56	56

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails.

Striker plate & magnet placement:

Shades under 42" Wide - one magnet on each end of the shade

Shades 42" - 78" wide - one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide - one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide - one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE - SIZE STANDARDS						
	Cellular				2" Hybrid Pleat	1-1/4"
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout	Light Filtering & Blackout
Min Width (per panel)	14"	14"	16"	16"	16"	16"
Min Width (overall)	28"	28"	32"	32"	32"	32"
Max Width (per panel)	100"	84"	100"	96"	100"	96"
Max Width (overall)	120"	120"	120"	120"	120"	120"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	60	49	56	56	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE - SIZE STANDARDS					
	Cellular				2" Hybrid Pleat
	3/4" Light Filtering & Blackout Fabrics	Subdue Blackout (S61)	Small Single & Double cell Light Filtering Fabrics	Small Single & Double cell Blackout Fabrics	Light Filtering & Blackout
Min Width (per panel)	14"	14"	16"	16"	16"
Min Width (overall)	42"	42"	48"	48"	48"
Max Width (per panel)	100"	84"	100"	96"	120"
Max Width (overall)	174"	174"	174"	174"	174"
Min Height	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	60	49	60	56	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

Note: 1-1/4" Pleat Fabrics are not available in the 3-on-1 Configuration

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary +/- 1/8".

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non -wrapped rails at **no additional charge. Must be specified** when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

Cordless Lift & Lock not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	– 1/4"	– 1/4"

NOTE: Measurements may vary +/- 1/8".

CORDLESS LIFT & LOCK – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)	10"	10"	10"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Two-on-One			
Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	30"	30"	30"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

NOTE: 2-on-1 or 3-on-1 Headrail is **not available** in **Top-Down/Bottom-Up** or **Trilight** or **End Mount**

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Standard Headrail	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth		1-1/4"	1-1/4"
Minimum mounting depth, flush mount:		2-1/4"	2-1/4"
End (EB) Mount			
Minimum flat vertical surface		2"	2"
Outside (OB) Mount			
Minimum flat vertical surface		1"	1"
Premium Headrail			
Inside (IB) & End (EB) Mounts			
Minimum mounting depth		3/4"	3/4"
Minimum mounting depth, flush mount:		2-1/8"	2-1/8"
Outside (OB) Mount			
Minimum flat vertical surface		1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM





Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.

Continuous Cord Loop not available on 1-1/4" Pleat Fabrics.



SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat*
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top Down/ Bottom Up option for Hybrid Pleat

NOTE: Measurements may vary +/- 1/8".

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary +/- 1/8".

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)*	18"	18"	18"	18"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Light Filtering Fabrics	All Blackout Fabrics	Light Filtering & Blackout
Min. Width (per panel)	18"	18"	18"
Min. Width (overall)	36"	36"	36"
Max. Width (per panel)	100"	96"	102"
Max. Width (overall)	120"	120"	120"
Min. Height	12"	12"	12"
Max. Height	120"	120"	120"
Max. Area (sq. ft.)	83	80	60

Note: End mount not available.

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Light Filtering Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Light Filtering & Blackout
Min. Width (net)*	24"	24"	24"	24"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

SMART FACTS



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Light Filtering and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.
- The Bliss Automation option provides safe, simple operation by raising and lowering the shade with the touch of a button or via the Bliss App (Bliss Bridge required). Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
 3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 17-18 to determine your bottom shade price.
 4. Refer to the sheer pleated grids on page 19 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price. Bliss Automation option and options prices can be found in the Bliss Automation pricing section.
- TriLight Shades are available as standard rectangle only.
 - Continuous Cord Loop – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer Pleated		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Carousel Sheer Pleated		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon


Willa Sheer Pleated		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer Pleated		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Nova Sheer	96"	60
Carousel Sheer	96"	60
Willa Sheer	83"	50
Lyssa Sheer	96"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
 - rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric
 - surcharge applies
 - bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	96"	96"	96"
Max. Area (sq. ft.)	64	50	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

NOTE: Inside mount with hold down brackets

deductions: Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 7/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 5/8"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT SYSTEM – SIZE STANDARDS			
	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	16"	16"	16"
Max. Width**	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	56	49	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK – SIZE STANDARDS			
	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat Fabrics
Min. Width (net)	12"	12"	12"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	49	49	49

*Maximum width on Whisper Sheer is 83", all other patterns 84".

TriLight **not available** with 1-1/4" fabrics

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

TriLight option not available on 1-1/4" Pleat Fabrics.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mounts		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – BLISS AUTOMATION



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.



BLISS AUTOMATION – SIZE STANDARDS

	All Light Filtering Fabrics	All Blackout Fabrics	2" Hybrid Pleat	2" Hybrid Pleat
	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Min. Width (net)	30-1/8"	35-1/8"	30-1/8"	35-1/8"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Min. Height	18"	18"	18"	18"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	n/a *	n/a *	n/a	n/a

*See sheer pleated maximum width limitations.

TriLight not available with 1-1/4" fabrics

* **S31 Double Cell** Light Filtering - Max Sq Ft 50

* **S32 Double Cell** Blackout - Max Sq Ft 55

* **S61 Single Cell** Blackout - Max Sq Ft 45

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

SIZE STANDARDS		
	Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width*	18" / 24"	18"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Minimum width for 1-1/4" Pleat is 24"
 - 2) End Mount not available
 - 3) 1-1/4" Pleat is **not available** with Top-Down/Bottom-Up
 - 4) Max height varies by width and fabric type. Refer to chart on page 36
 - 5) Top-Down/Bottom-Up control side + charging port location
The minimum inside mount width is 19" when ordered with hold-down brackets
- Note: Bliss Bottom-Up with external power source has a right side motor position only

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

Adjustments are taken from ordered dimensions.

	1-1/4" Fabrics
Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: 1-1/4" Fabrics are not available with Bliss Top-Down/Bottom-Up

2-on-1 HEADRAIL - SIZE STANDARDS		
	Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20" / 24"	20"
Minimum NET Width (overall)	40" / 48"	40"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144" / 120"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 36
- 2) Minimum panel width for 1-1/4" Pleat is 24" (per panel) and 48" (overall)
- 3) End Mount is **not available**
- 4) TDBU is not available on 2-on-1

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powersource Not Mounted to Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Use a metal tape measure for all measurements.

External Battery - Mounted away from the Headrail

1-1/4" Fabrics

Inside (IB) Mount	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for External Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-Ion= Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.



SIZE STANDARDS					
	Bottom-Up			Top-Down/Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18-1/8"	24"	30"	35"
Maximum Width	120"	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"	18"
Maximum Height	108"	108"	108"	108"	108"

NOTES:

1) Max height varies by width and fabric type. Refer to chart on page 36 & 37

2) End Mount not available

The minimum inside mount width is 19" for single, large and double and 25" for 1-1/4" fabric for when ordered with hold-down brackets

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40"	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTES:

1) Max height varies by width and fabric type. Refer to chart on page 36

2) TDBU is not available on 2-on-1

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular Fabrics	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular Fabrics & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

1-1/4" Fabrics	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell (min width 24")	108"	108"	108"	67"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell (min width 24")	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	67"	60"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

DC = Requires External source of power

Li-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top-Down/Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	66"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	67"	60"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

- 1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 2) Minimum Width for Top-Down/Bottom-Up is **30" Right Side Control & 35" Left Side Control**
Control Side ⇒ Location of Charging Port & Reset Button

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SOMFY AUTOMATION



- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

SOMFY AUTOMATION - SIZE STANDARDS

	Bottom-Up		
	Cellular Fabrics	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width	18"	18"	24"
Maximum Width	120"	120"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
 - 2) End Mount not available
- The minimum inside mount width is 19" for single, large and double and 25" for 1-1/4" fabric for when ordered with hold-down brackets

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS

	Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) End Mount not available
- 3) Not Available with 1-1/4"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powerwand Not Mounted to Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Power source Not Mounted on Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					75 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	100"	90"
					70 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	93"	84"
					85 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
S31	Softstyle Light Filtering - Double Cell	108"	108"	108"	80"	72"
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	108"	108"
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	108"	108"	73"	66"
					70 Sq Ft Max - Up to 96"	
					50 Sq Ft Max - Over 96"	
S61	Softstyle Subdue Blackout	108"	108"	105"	67"	60"
					55 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"
					55 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Light Filtering	108"	108"	108"	93"	84"
					55 Sq Ft Max - Over 96"	
HPR	2" Hybrid Pleat - Blackout	108"	108"	108"	73"	66"

NOTES:

- 1) 2-on-1 Minimum Panel Width 18"
- 2) 2-on-1 Maximum Width (overall) is 144"
- 3) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND



POWERWAND - SIZE STANDARDS

	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Bottom-Up	21"	24"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

1) PowerWand **not available** with 2" Hybrid Pleat

2) Max height varies by width and fabric type. Refer to chart on page 41

The minimum inside mount width is 22" for single, double and large cellular fabrics and 25" for 1-1/4" fabrics when ordered with hold-down brackets

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand – 2-on-1- SIZE STANDARDS

Two-on-One Headrail

	Cellular Fabrics	1-1/4" Fabrics
Minimum NET Width - Per Panel	24-1/4"	24"
Minimum NET Width - Overall	48-1/2"	48"
Maximum Width - Per Panel	120"	120"
Maximum Width - Overall	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

Powerwand is not available with Hybrid pleat

Max height varies by width and fabric type. Refer to chart on page 41

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Fabrics

Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

3/8", Double Cell, 3/4"

1-1/4"

Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

POWERWAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS						
CODE	SHADE NET WIDTH TO:	21" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Light Filtering	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Light Filtering - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Light Filtering - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Light Filtering - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Light Filtering - 1-1/4" Single Cell	108"	108"	108"	66"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell	108"	108"	108"	86"	78"


NOTES:

- 1) PowerWand is not available with Hybrid Pleat
- 2) PowerWand minimum panel width is 21" for single, double and large, the minimum is 25" for 1-1/4"
- 3) PowerWand 2-on-1 Minimum Panel Width 24-1/4"
- 4) PowerWand 2-on-1 Maximum Width (overall) is 144"
- 5) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted


VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) left stack
 - 2) right stack
 - 3) split stack (center opening)
 - 4) center stack
 - 5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS					
	Cellular		Beginnings	2" Hybrid Pleat	1-1/4" Single Cell
	Large Single Cell Light Filtering	Large Single Cell Blackout	Large Single Cell Light Filtering	Light Filtering & Blackout	Light Filtering & Blackout
Min. Width	12"	12"	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	120"	120"	120"
Max. Width Split Stack	336"	336"	240"	240"	240"
Max. Width Two Fabric Combo	168"	168"	120"	N/A	120"
Min. Height	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Split Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Two Fabric Combo	120/panel	120/panel	100/ panel	100/ panel	100/ panel

NOTE: Vertical Application **not available** with Small Single or Double Cell Cellular fabrics or Subdue Blackout

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White (785)

- Split stack up to 336"
- Two Fabric Combo Shade:
 - Not available for Hybrid Pleat
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different pleat sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns

3/4" Pleat	3-1/4"
1-1/4" Pleat	4"
Hybrid Fabric	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Cellular	Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Valance width	+ 1-1/4"	+ 1-1/4"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount*	1-1/2"	1-1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	1-1/4"	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth	1/2"	1/2"	1/2"
Minimum mounting depth, flush mount:	3-7/8"	4-5/8"	4-3/4"
Outside (OB) Mount			
Minimum flat vertical surface	5/8"	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.
- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS


- All 9/16" Single, Double Cell, and Large Single Subdue Blackout

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount, or flush mount.
- Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.
- Also refer to vertical application measuring in "General Information" section. NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.
- Cut-outs are not available on 2" Hybrid Pleat.
- For OB Mounting the recommended overlap is 3" – 6".

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.




This easy to operate system holds shades in place.
Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:			WINDOW POSITION:		
Top	Bottom	Side	Vertical	Sloped	Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	18"
Max. Width	60"
Min. Height	12"
Max. Height	72"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	12"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/4"
Outside (OB) Mount	
Rail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

Measurements may vary +/- 1/8".

NOTE: All finished dimensions include side tracks.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Motorized Skylights are different than Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss or Somfy Automation motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding a Battery Extension Cable to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

SKYLIGHT with AUTOMATION - SIZE STANDARDS

	All Cellular Fabrics
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight Automation not available with 2" Hybrid Pleat or 1-1/4" Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- For Skylight Automation the shade must be mounted with the fabric at the top or the highest point in the window.

Bliss or SOMFY Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)


Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat


Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch




MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch




NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle Large & Small Light Filtering	SoftStyle Double Cell - Light Filtering & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2 width	1/2 width

Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch



SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)

Height: Measure desired height(s)


Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat




SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat

Non-operable ONLY

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)




Non-operable ONLY

	SoftStyle Light Filtering Fabrics	SoftStyle Blackout Fabrics	SoftStyle Double Cell Fabrics
Minimum Height (L/R)	3"	3"	3"
Maximum Height	84"	72"	84"
Maximum Area (sq ft)	35	35	30
MINIMUM SLOPE WIDTH			
0 - 30 Angle	12	12	12
MAXIMUM SLOPE WIDTH			
0 - 30 Angle	60"	60"	60"

NOTE: Angle Top is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

HEXAGON & OCTAGON (TEMPLATE REQUIRED)




- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"

Non-operable ONLY

SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	30"
Min. Height	8"
Max. Height	30"

*Not available with 2" Hybrid Pleat

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40

Non-operable ONLY

SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	72"
Min. Height	9"
Max. Height	96"

*Not available with 2" Hybrid Pleat

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth	1-7/8"
Outside (OB) Mount	
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

MOUNTING REQUIREMENTS

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES AND QUARTER CIRCLES