

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS
design simplified

ALUMINUM BLINDS

Pricing effective April 17, 2023 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

Revised 10-1-23

SUMMARY OF REVISIONS

7-1-23 Revisions:

Page 2Updated Color Chart

Page 10Updated Cordless Lift & Lock Bottom Rail Color Chart

10-1-23 Revisions:

Page 2Updated new color chart (Eggshell B6173 & M2173) Discontinued

Page 10Updated new Cordless Lift & Lock Bottomrail chart (Eggshell B6173 & M2173) Discontinued

TABLE OF CONTENTS

Features And Options

- Color Chart. 2

Pricing Information

- Price Chart and Option Charges. 3-5

Product Information

- Controls. 6
- Cord and Ladder Specifications. 6
- Mounting Requirements. 6
- Tilt Wand Lengths. 6
- Ladder Placement Chart 6
- Stack-Up Chart. 6
- Offset Stacking Chart. 6
- Product Specifications. 7-9
- Cordless Lift & Lock™ Bottomrail Color Chart. 10

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

COLOR CHART

	Deluxe Collection	Value Collection	Basic Collection	Macro Collection
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	V6002	B6002	M2002
ANTIQUE	D8973		B6973	M2973
ASH	D8913			
BEIGE	D8186		B6186	M2186
BISCUIT	D8315			
BISQUE	D8269		B6269	M2269
BLACK	D8048		B6048	M2048
BRIGHT ALUMINUM	D8190		B6190	M2190
BRUSHED ALUMINUM	D8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P			
BRUSHED NICKEL TEXTURE	D8262			
CANVAS	D8830		B6830	M2830
CHALK WHITE	D8885		B6885	M2885
CHAR BROWN	D8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254			
CLAY	D8180		B6180	
COBBLESTONE	D8318		B6318	
EGGSHELL	D8173			
EVENING SNOW	D8385			
FAWN	D8205		B6205	M2205
FOREST	D8413		B6413	
GRAPHITE	D8983			
GRAYSTONE	D8748		B6748	M2748
KAOLIN PEARL	D8711		B6711	
LIGHT CAFFE	D8914			
LINEN	D8270		B6270	M2270
MERCURY	D8276		B6276	
OPAL	D8001		B6001	
PARCHMENT	D8402			
PEARL	D8974		B6974	M2974
PEWTER GRAY	D8405		B6405	
PLASTER	D8127	V6127	B6127	
PUMICE	D8203			
PURE WHITE	D8125	V6125	B6125	M2125
QUARTZ	D8018		B6018	M2018
RIVER LOG	D8917			
SIERRA	D8820		B6820	
SNOW GLOSS	D8110	V6110	B6110	M2110
SPRIG	D8919			
TALC	D8981		B6981	
TUSK	D8268		B6268	
VANILLA	D8350		B6350	M2350

// Aluminum Blinds – Traditional Routes



- Value 1" (V6)
- Basic 1" (B6)

ORDERING KEY	
Style	Code
1"	B6+Color #
1"	V6+Color #

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
HEIGHT TO:																		
42"	\$90	107	109	115	119	143	145	153	155	165	191	195	213	226	257	289	322	343
48"	92	107	111	117	123	145	155	160	165	175	197	201	220	237	267	304	333	362
54"	92	111	115	119	126	153	155	163	167	175	199	203	223	239	275	309	341	370
60"	97	111	117	121	134	155	163	165	173	179	201	213	228	252	279	313	350	377
66"	104	119	123	134	141	165	173	175	179	191	215	223	239	264	293	328	367	397
72"	107	121	126	136	143	167	175	179	184	195	220	226	248	267	300	339	375	408
78"	109	123	134	141	152	175	179	184	193	199	226	233	257	277	312	350	384	422
84"	109	126	136	141	153	177	181	191	197	203	230	239	264	288	315	359	397	433
90"	111	134	139	143	155	179	191	195	199	213	237	248	267	291	326	367	405	440
96"	111	134	141	145	160	181	193	197	201	215	239	255	275	297	333	375	411	452
102"	111	136	143	152	163	184	195	199	209	220	248	257	279	304	341	381	424	461
108"	115	139	143	153	165	193	197	203	213	223	255	264	288	309	348	389	433	473
114"	115	139	145	155	167	195	201	209	219	228	262	267	291	315	359	399	440	485
120"	117	141	152	160	173	197	203	213	220	233	266	275	297	324	365	405	452	493
126"	117	143	153	163	175	199	209	219	226	237	267	279	304	328	373	413	459	498

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> • Cordless Lift & Lock..... add \$92 each 	<ul style="list-style-type: none"> • 2 On 1 Headrail price as separate blinds • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Value .006 Gauge and Basic .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

ORDERING KEY	
Style 1"	Code D8+Color #

• Deluxe 1" Aluminum Blinds with Traditional Routes (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
HEIGHT TO:																			
42"	\$167	173	177	184	195	201	209	217	220	237	255	264	272	312	402	427	459	485	
48"	171	175	181	193	199	206	215	220	228	241	264	272	279	322	422	446	476	507	
54"	175	181	188	197	203	215	220	228	241	252	269	285	291	334	437	464	498	531	
60"	177	184	195	201	209	219	226	239	248	262	279	291	304	348	452	481	521	552	
66"	181	193	197	203	213	223	237	248	255	267	289	304	313	360	471	498	540	572	
72"	188	197	201	209	219	228	245	255	264	275	300	313	326	370	485	521	557	604	
78"	228	245	252	264	275	289	304	315	328	346	375	395	408	469	500	535	584	625	
84"	239	248	257	267	277	300	312	322	339	355	381	402	422	476	515	550	604	642	
90"	248	257	267	277	291	309	326	341	355	370	402	424	440	498	540	580	628	666	
96"	252	264	272	285	300	315	334	348	362	380	413	433	450	515	557	599	647	689	
102"	255	266	275	289	306	322	341	359	370	389	424	446	464	528	574	616	664	710	
108"	262	269	279	293	312	330	348	365	377	399	433	454	474	548	591	634	683	732	
114"	264	272	285	302	315	341	360	375	392	419	450	476	496	572	623	664	720	770	
120"	266	277	289	306	326	346	367	381	399	426	461	489	507	586	635	683	740	794	
126"	269	279	300	312	330	359	375	392	408	437	474	498	531	604	656	705	763	815	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
Deluxe 1" Blind	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • Cordless Lift & Lock..... add \$92 each • Deluxe 1" with LightsOut..... add 10%

OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail price as separate blinds • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

// Aluminum Blinds – Traditional Routes or LightsOut



ORDERING KEY	
Style	Code
2"	M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"	
HEIGHT TO:																			
42"	\$159	189	196	204	217	228	240	254	263	276	290	300	325	446	474	533	561	624	
48"	162	192	201	212	227	239	245	263	273	288	297	307	340	459	494	551	584	647	
54"	165	196	204	215	237	245	254	268	279	297	307	325	348	478	511	574	607	677	
60"	165	201	212	219	240	250	258	278	290	304	318	330	356	496	525	587	624	691	
66"	176	207	217	237	250	258	268	291	302	318	330	348	374	513	549	617	653	721	
72"	177	212	227	239	254	265	278	297	305	327	342	355	381	528	562	630	670	739	
78"	227	273	290	302	325	342	355	378	395	416	434	456	494	551	591	659	699	772	
84"	230	278	293	307	330	348	362	390	407	427	449	471	506	567	607	680	719	793	
90"	230	279	300	315	340	352	371	397	413	436	458	476	513	582	624	693	735	815	
96"	240	293	307	329	352	371	390	420	434	459	485	510	548	622	661	741	788	870	
102"	243	300	318	333	360	378	402	427	446	474	497	523	559	636	684	767	813	893	
108"	245	304	325	346	367	385	408	436	458	485	510	533	574	649	702	780	830	918	
114"	250	307	329	350	376	397	416	446	471	497	523	548	587	667	717	803	856	941	
120"	254	315	340	356	383	407	427	459	478	510	535	559	605	684	735	819	874	968	
126"	256	323	346	365	393	416	434	471	494	523	548	574	622	702	756	844	897	989	

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • Cordless Lift & Lock..... add \$92 each • 2" Macro with LightsOut..... add 10%

OPTIONS: NO EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail price as separate blinds • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	

SIZE SPECIFICATIONS - 2" Macro, Routeless	
	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	120"
Maximum height	126"
Maximum width with two on one headrail	120"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more

PRODUCT INFORMATION

TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.*

All 1" Blinds

Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 126"

*Optional Lengths: 70", 78", 90"

2" Blinds

Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 60"
48"	60-1/8" to 75"
60"	75-1/8" to 90"

**Optional Lengths: 72" and 84"

** Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum tilt cord length is 6". For blinds under 15" in height, a tilt cord length override to at least 6" must be requested.

STACKING

Add the selected style to the Blind Stack

Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

CORD AND LADDER

- Color coordinated with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum lift cord length is 6". For blinds under 15" in height, a lift cord length override to at least 6" must be requested.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets – All Blinds	
Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2

LADDER PLACEMENT


The following charts show the number of ladders based on blind width.

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 120"	6

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 120"	5

DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



PRODUCT INFORMATION

CONTROLS

All 1" Blinds (VAL6 / BAS6 / DEL 8)

Width (NET)	Single Blind	2 on 1 LEFT BLIND		2 on 1 RIGHT BLIND	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD
Standard Cordlock					
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)
Lift & Lock					
10-1/2" to 12-3/8"	C (only)	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a

2" MACRO - MAC2

Width (NET)	Single Blind	2 on 1 LEFT BLIND - WAND TILT		2 on 1 RIGHT BLIND - WAND TILT		2 on 1 LEFT BLIND - CORD TILT		2 on 1 RIGHT BLIND - CORD TILT	
		WAND TILT	LIFT CORD	WAND TILT	LIFT CORD	CORD TILT	LIFT CORD	CORD TILT	LIFT CORD
Standard Cordlock									
8" to 10-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	N/A	N/A	N/A	N/A
10-1/2" to 18"	LR, RL	R (only)	L (only)	L (only)	R (only)	N/A	N/A	N/A	N/A
18-1/8" or more	LR, RL, Grouped	L or R	L (only)	L or R	R (only)	L (only)	L (only)	R (only)	R (only)
Lift & Lock									
10-1/2" to 12-3/8"	Center Tilt Only	C (only)	n/a	C (only)	n/a	C (only)	n/a	C (only)	n/a
12-1/2" or more	L or R	L or R	n/a	L or R	n/a	L (only)	n/a	R (only)	n/a

VALANCE SPECIFICATIONS

VALANCE TYPE	IB	OB
W / Returns	Ordered Width + .5"	Ordered Width + 1"
WO / Returns	Ordered Width - .125"	Ordered Width
Continuous W/ Returns	Ordered Width + .5"	Ordered Width + 1"
Continuous WO/ Returns	Ordered Width - .125"	Ordered Width

PRODUCT SPECIFICATIONS

FEATURES	Value	Basic
	1" .006 GAUGE	1" .006 GAUGE
# of Colors	6	31
Slat Gauge	0.006	0.006
Dust-Resistant Finish	Yes	Yes
Headrail Size	1" X 1"	1" X 1"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature	N/A	N/A
Bracket Style	Box	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm
Wand	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips
Headrail End Stiffener	Yes	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 on 1 Headrail*	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	1"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	6"
Maximum width of a single blind	120"	120"
Maximum height	126"	126"
Maximum width with 2 on 1 headrail	120"	120"
Maximum width end mount	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"
Minimum height	12"	12"
Maximum height	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	120"	120"
Maximum width end mount	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more

- 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

PRODUCT SPECIFICATIONS

FEATURES	Deluxe	Macro
	1" .008 GAUGE	2" .008 GAUGE
# of Colors	50	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - not available with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 1 Headrail*	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	2"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	120"	120"
Maximum height	126"	126"
Maximum width with 2 on 1 headrail	120"	120"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 120"	18-1/8" to 120"
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	120"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	120"	120"
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more

- 2 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART



The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat colors than available rail colors**, please review the rail colors listed below when **NOTE:** Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.

COLOR NAME				All 1" Styles		All 2" Blinds		
	Deluxe Collection	Value Collection	Basic Collection	Cordless Lift & Lock Bottomrail		Macro Collection	Cordless Lift & Lock Bottomrail	
	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	Color	Color #	2" .008 GAUGE	Color	Color #
Alabaster	D8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973		B6973	Alabaster	002	M2973	Antique	973
Ash	D8913			Mercury	276			
Beige	D8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315			Alabaster	002			
Bisque	D8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048		B6048	Black	048	M2048	Black	048
Bright Aluminum	D8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262			Brushed Aluminum	065			
Canvas	D8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254			Char Brown	064			
Clay	D8180		B6180	Graystone	748			
Cobblestone	D8318		B6318	Graystone	748			
Eggshell	D8173			Alabaster	002			
Evening Snow	D8385			Plaster	127			
Fawn	D8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413		B6413	Alabaster	002			
Graphite	D8983			Black	048			
Graystone	D8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711		B6711	Plaster	127			
Light Caffe	D8914			Mercury	276			
Linen	D8270		B6270	Plaster	127	M2270	Antique	973
Mercury	D8276		B6276	Mercury	276			
Opal	D8001		B6001	Pure White	125			
Parchment	D8402			Alabaster	002			
Pearl	D8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405		B6405	Mercury	276			
Plaster	D8127	V6127	B6127	Plaster	127			
Pumice	D8203			Alabaster	002			
Pure White	D8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917			Char Brown	064			
Sierra	D8820		B6820	Black	048			
Snow Gloss	D8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Sprig	D8919			Alabaster	002			
Talc	D8981		B6981	Pure White	125			
Tusk	D8268		B6268	Plaster	127			
Vanilla	D8350		B6350	Alabaster	002	M2350	Alabaster	002

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.